

## INDEX

### A

- Aberdeen Biological Chemical Agent Disposal Facility
  - mustard agent container drainage, 597
- Abood, Leo
  - anticholinergic deliriant research, 424
- Abramson, Dr. Harold
  - lysergic acid diethylamide research, 413
- Acetylcholinesterase
  - assays for measuring, 702
  - description and mechanism of action, 158, 693
  - nerve agent effect on, 158, 244, 316, 693–694
- ACGIH. *See* American Conference of Governmental Industrial Hygienists
- AChE. *See* Acetylcholinesterase
- Acland, K.M.
  - uses of lasers in dermatological practice, 284
- Acticoat
  - mustard agent injury dressing, 280
- Activated charcoal
  - brevetoxin intoxication treatment, 630
  - palytoxin intoxication treatment, 620
  - saxitoxin treatment, 627
  - tetrodotoxin treatment, 627
- Active topical skin protectant
  - criteria for, 531–532
  - development of, 531
- Acute exposure guidance levels
  - for chemical agents, 143
- Acute respiratory distress syndrome
  - sulfur dioxide and, 345
  - toxic industrial chemicals and, 354–355
- Adams, Maj. Robert
  - diphenylaminearsine discovery, 464
- AEF. *See* American Expeditionary Forces
- AEGLs. *See* Acute exposure guidance levels
- Afghanistan
  - September 11, 2001, terrorist attacks and, 65, 129
- Afghanistan War
  - chemical weapons and, 62
- AFS. *See* Alternative footwear system
- Age factors
  - butyrylcholinesterase activity, 164
  - erythrocyte cholinesterase, 164
- Agency for Toxic Substances and Diseases Registry
  - Hazardous Substance Emergency Events Surveillance System, 540
- Agent Orange
  - estimation of injuries from, 428
  - Vietnam War and, 341
- Aghajanian, George
  - LSD research, 417
- Aharoni, A.
  - human paraoxonase 1 research, 251
- Airplanes
  - smoke tanks, 120
  - used for chemical attacks, 26, 118–119
- Aisne defensive
  - chemical attacks, 29
- Aisne-Marne offensive
  - chemical attacks, 30–31
  - division field hospitals, 95
  - medical personnel as victims, 102
  - US participation (figure), 31
- Al Qaeda
  - chemical weapons and, 129, 145
  - compared with Aum Shinrikyo, 129
  - description, 129
- Alexander, Lt. Col. Stewart
  - Bari disaster and, 105
- Alkyl methylphosphonic acids
  - nerve agents and, 694, 695, 696, 698
- Alkyl MPAs. *See* Alkyl methylphosphonic acids
- Alphabet Bomber
  - chemical attack description, 127
- Alprazolam
  - incapacitating effects, 420
- Alternative footwear system
  - description, 573
- Alzheimer's disease
  - anticholinesterase drug treatment, 158, 704
  - memantine treatment, 228
  - physostigmine treatment, 704
  - tetrahydroaminacridine treatment, 426
- Ambros, Otto
  - sarin research, 47, 156
  - views on chemical warfare, 49
- American Academy of Pediatrics
  - forms of terrorism that require immediate attention, 656
  - resources, 683–684
- American Burn Association
  - criteria for chemical burn injuries, 278
- American Conference of Governmental Industrial Hygienists
  - 2-chlorobenzylidene malononitrile exposure guidelines, 447
- American Expeditionary Forces. *See also* US Army Medical Department
  - Aisne-Marne Offensive and, 30–31
  - Battle of Belleau Wood and, 28, 29–30
  - Battle of Cambrai and, 24–25
  - Battle of Cantigny and, 27, 29
  - Battle of Chateau-Thierry and, 28, 29
  - Battles of Sommervillier and Ansauville and, 25–26
  - Champagne-Marne defensive and, 30
  - chemical warfare casualties, 41–42
  - earliest reported description involving chemical warfare on (exhibit), 22
  - first projector attack on (exhibit), 26
  - Headquarters, First Army Corps, memorandum on the evacuation of sick and wounded, 1918 (exhibit), 98
  - Lys defensive and, 26–27
  - major defensive campaigns, 1918 (table), 89
  - major offensive campaigns of the AEF, 1918 (table), 101
  - Meuse-Argonne campaign and, 33, 36
  - Oise-Aisne offensive and, 32
  - 1st Gas Regiment, 22, 37
  - secret field order no. 41, annex no. 7, issued by the Fifth Division, September 9, 1918 (exhibit), 100
  - World War I AEF in offensive and defensive battles involving chemical warfare (table), 23
- American Heart Association
  - Pediatric Advanced Life Support Course, 682
  - recommended values for safe cardiovascular function (table), 542
- Aminophylline
  - incapacitating agent exposure treatment, 471
  - phosgene inhalation treatment, 354
- Amitai, Y.
  - use of atropine in the pediatric population research, 663–664
- AMLs. *See* Area medical laboratories
- Ammonia

- clinical presentation, 355–356
- corticosteroid treatment, 353
- gaseous ammonia effects at various concentrations (table), 355
- nonmilitary use, 341–342
- signs and symptoms of inhalation, 353
- AMN. *See* Atropine methylnitrate
- Amyl nitrite
  - cyanide poisoning treatment, 383–384, 394–395, 397, 675–676
- Anders, M.W.
  - phosgene research, 736
- Anesthetics. *See also* specific agents
  - dissociative anesthetics, 419–420
  - pediatric population and, 665, 667
- Angola
  - use of nerve agents against rebels, 63
- Ansauville, Battle of
  - phosgene and chloropicrin attacks, 25–26
- Anthrax
  - CDC categorization as a category A threat agent, 616
- Anthrax attacks
  - domestic preparedness and, 761
  - Strategic National Stockpile and, 765
- Antibiotics. *See also* Topical antibiotics
  - chlorine exposure treatment, 673
  - mustard agent treatment, 672
  - toxic industrial chemical exposure treatment, 363
- Anticholinergic delirians. *See also* specific agents
  - ancillary supportive measures for the treatment of delirium (exhibit), 430
  - compound comparisons, 424–425
  - diagnosis of syndromes caused by, 428
  - incapacitating effects, 413, 421, 422–425
  - mechanism of action, 422, 425
  - safety of, 427
  - summary of BZ and fentanyl derivatives (exhibit), 429
  - testing on volunteers, 424–425
  - treatment for intoxication, 425–426
- Anticonvulsive therapy. *See also specific agents*
  - nerve agent exposure and, 189–190
- Antidote treatment nerve agent autoinjector
  - nerve agent exposure treatment, 182–186, 192, 193, 194, 518, 520–521, 651, 663
  - replacement of Mark I kits and, 651, 652
- Antioxidants
  - treatment of mustard agent exposure, 282
- Antipsychotic drugs. *See also specific agents*
  - incapacitating effects, 420
  - side effects, 420
- Anxiety
  - differential diagnosis of incapacitating agent intoxication, 428
- Arab-Israeli Six-Day War
  - biological warfare and, 58
  - nerve agent use, 58
- Arab-Israeli Yom Kippur War
  - chemical weapons and, 61
- ARDS. *See* Acute respiratory distress syndrome
- Area medical laboratories
  - domestic preparedness role, 763–764
  - endemic diseases section, 764
  - nuclear, biological, and chemical section, 764
  - occupational and environmental health section, 763–764
  - professional officer filler information system, 764
  - structure of, 763
- Armed Forces Institute of Pathology
  - 1-chloroacetophenone research, 463
- Armed Forces Radiobiology Research Institute
  - CBRNE training program, 768
- Arrhythmias
  - nerve agent exposure and, 179–180
  - treatment for, 179, 190
  - ventilatory support, 190
- Arsenicals. *See* Lewisite; Phosgene oxime
- Arthur, Vice Admiral Stanley
  - chemical warfare comments, 64
- AS. *See* Atropine sulfate
- Asahara, Shoko
  - Aum Shinrikyo and, 127
- Ashani, Y.
  - plasma-derived human butyrylcholinesterase research, 245
- Ashton, I.
  - dibenz[*b,f*]-1,4-oxazepine research, 467
- “Assay Techniques for Detection of Exposure to Sulfur Mustard, Cholinesterase Inhibitors, Sarin, Soman, GF, and Cyanide” (Technical Bulletin Medical 296), 693
- Assays of adducts to biomolecules
  - analytical methods, 698–699
  - analytical methods using adducts to biomolecules (table), 700
  - application to human exposures, 699–701
  - methods used to confirm human exposures to nerve agent adducts to biomolecules (table), 701
- ATCA. *See* 2-aminothiazoline-4-carboxylic acid
- Atkisson, Col. E.J.
  - AEF 1st Gas Regiment leadership, 22
- Atlanta Olympics bomb scare, 754
- ATNAA. *See* Antidote treatment nerve agent autoinjector
- AtroPen
  - nerve agent exposure treatment, 182, 663
  - pediatric population and, 663
- Atropine. *See also* Atropine sulfate; Dry powder inhaler atropine
  - antidote drug card for pediatric dosing of atropine (figure), 683
  - brevetoxin intoxication treatment, 630
  - incapacitating effects, 412, 413, 422, 425, 426
  - pediatric population and, 663–664
  - saxitoxin treatment, 627
  - tetrodotoxin treatment, 627
- Atropine methylnitrate
  - soman-induced seizure-related brain damage treatment, 227, 228
- Atropine sulfate
  - adjuncts to, 182
  - antidote treatment nerve agent autoinjector, 182–186
  - arrhythmia treatment, 179, 190
  - asymptomatic persons and, 185
  - combined with oximes, 183, 188
  - combined with 2-pyridine aldooxime methyl chloride, 183
  - cyclosarin exposure and, 202
  - dosage considerations, 182–186
  - eye pain and, 192
  - goal of therapy, 184–185
  - inhalational exposure to vapor treatment, 185
  - IV delivery of, 180
  - Mark I kits, 182–186, 188, 190, 192, 194, 663
  - mechanism of action, 182, 316
  - medical aerosolized nerve agent antidote, 186, 192
  - nerve agent exposure treatment, 175, 182–186, 244, 316
  - organophosphorus compound exposure treatment, 184
  - pediatric population and, 195
  - routes of administration, 193–194
  - side effects, 182–183
  - topical application of, 190
  - ventilatory support and, 181, 186, 193
- aTSP. *See* Active topical skin protectant
- Atta, Gen. Qassim

- chlorine gas attack and, 66
  - Aum Shinrikyo
    - chemical attacks against judges, 127–128, 695
    - compared with Al Qaeda, 129
    - sarin attack in the Tokyo subway, 4, 125, 128, 158, 178, 181–182, 193, 196–197, 223, 244, 316, 317, 321, 492, 518, 540, 657, 695–696, 699, 754
  - Austria
    - cyanogen bromide introduction, 373
  - Aviado, D.
    - incapacitating agent research, 442
  - Aviado, D.M.
    - incapacitating agent research, 442
- B**
- Babad, H.
    - phosgene research, 345
  - Baille, V.
    - soman-induced brain injury, 224–225
  - Baker, Secretary of War Newton D.
    - Chemical Warfare Service and, 43
  - BAL. *See* British antilewisite
  - Balali-Mood, M.
    - mustard exposure research, 313, 315
  - BALF. *See* Bronchoalveolar lavage fluid
  - Ballantyne, B.
    - dibenz[*b,f*]-1,4-oxazepine research, 467, 468
    - hydrogen cyanide research, 354
    - 1-chloroacetophenone research, 460, 461
    - 2-chlorobenzylidene malononitrile research, 451
  - Ballough, G.P.
    - soman-induced brain injury, 225
  - Barbiturates. *See also specific agents*
    - description and incapacitating effects of, 418
    - LSD intoxication treatment, 417
    - safety margin, 418
  - Barlow, R.J.
    - uses of lasers in dermatological practice, 284
  - Basic Personal Equipment*, 561
  - Baskin, S.I.
    - cyanide poisoning treatment, 396
  - Bass, Col. Sampson
    - Program Manager for Demilitarization of Chemical Materiel and, 141
  - Basson, Dr. Wouter
    - use of 3-quinuclidinyl benzilate by Iraq, 413
  - Batrachotoxin
    - chemical structure (figure), 632
    - laboratory findings, 633
    - lethality of, 633
    - mechanism of action, 632
    - monitoring, 633
    - physical examination and, 632–633
    - poison blow gun dart use, 632
    - protection, 633
    - sodium channel effects, 617
    - sources, 632
    - stability, 633
    - surveillance, 633
    - synthesis, 632
    - toxicity, 632
    - treatment, 633
  - Baud, F.J.
    - cyanide poisoning research, 396
  - Baxter Healthcare Corporation
    - plasma-derived human butyrylcholinesterase production, 653
  - BChE. *See* Butyrylcholinesterase
  - Behavioral and psychological changes
    - categorization of, 176
    - cyanide poisoning and, 393–394
    - effects of nerve agent exposure, 175–176
    - plasma-derived human butyrylcholinesterase and, 248–249
  - Belgian Consensus on SE
    - status epilepticus treatment recommendations, 231
  - Belladonna alkaloids. *See* Anticholinergic deliriants
  - Belleau Wood, Battle of
    - chemical attacks, 29–30
    - overview and detailed maps (exhibit), 28
  - Bellevue Hospital Center
    - pediatric nerve agent antidote dosing schedule, 684
  - Benzodiazepines. *See also specific agents*
    - hypothermia and, 548–549
    - incapacitating effects, 420
    - LSD intoxication treatment, 417
  - Berber war
    - description, 42–43
  - Berthollet, Comte Claude-Louis
    - synthesis of cyanogen chloride, 116
  - Beswick, F.W.
    - 2-chlorobenzylidene malononitrile research, 450
  - Bhopal, India
    - accidental release of methyl isocyanate, 131, 134, 326, 347
  - Biel, John
    - anticholinergic deliriant research, 424
  - Bigeye bombs
    - research on, 123, 125
  - bin Laden, Osama
    - formation of Al Qaeda and, 129
    - September 11, 2001, terrorist attacks and, 65
  - Binary chemical weapons
    - “Bigeye” bomb, 123, 125
    - description, 3, 123
    - development of, 122–124
    - US Congress restrictions on, 124
    - US Congress review of, 124
  - Bing, Oscar
    - LSD research, 417
  - Bio Shield towelettes
    - incapacitating agents and, 470–471
  - Biobrane
    - mustard agent injury dressing, 280
  - Biological warfare
    - Arab-Israeli Six-Day War and, 58
    - “Biotechnology: Impact on Biological Warfare and Biodefense,” 420–421
    - chemical weapons comparison, 126
    - Nixon’s ban on biological warfare agents, 138
    - World War I and, 37
  - Biological Weapons Convention
    - description, 137–138
    - Soviet Union and, 61–62
  - Bioregulators
    - incapacitating effects, 420–422
  - Bioscavengers
    - advantages of enzymes, 245
    - catalytic type, 250–251
    - categories of, 245
    - free radical scavengers, 232
    - plasma-derived stoichiometric type, 245–249
    - Project BioShield, 251
    - recombinant stoichiometric type, 249–250
  - “Biotechnology: Impact on Biological Warfare and Biodefense,” 420–421
  - Bis-(2-chloroethyl)sulfide. *See* Mustard agent

- Biskup, R.C.  
dibenz[*b,f*]-1,4-oxazepine research, 468
- Black, R.M.  
blood sample analysis for mustard agent, 723  
urine sample analysis for mustard agent, 711, 712, 716, 717
- Black vinyl overboots  
description and uses, 573
- Blackford, Lt. Col. William W.  
chemical weapon use and, 12
- Blair, Prime Minister Tony (Great Britain)  
warning to the UN on Iraq's weapons of mass destruction program, 66
- Blister agents. *See* Vesicants
- Blood cholinesterases  
butyrylcholinesterase, 163–164  
erythrocyte cholinesterase, 164  
inhibition in, 164–166  
nerve agent scavenger activity, 164  
RBC-ChE monitoring, 161, 163  
relation of cholinesterase activity to vomiting after exposure to VX (table), 166  
relation of effects of nerve agent exposure to erythrocyte cholinesterase activity (table), 166  
relation to signs and symptoms of nerve agent exposure, 165–166  
time course of inhibition, 165  
vomiting and, 165–166
- Blood sample analysis  
analytical methods, 718–721  
application to human exposure, 721–726  
benefits of, 692  
collection issues, 692  
cyanide poisoning, 731, 733–734  
guidelines for collection, 739  
lewisite exposure, 728, 731  
mustard agent exposure and, 718–726  
published reports (1997–2006) of laboratory analysis of human blood samples following suspected exposure to sulfur mustard (table), 727  
sample considerations, 739  
sample preparation methods for the gas chromatographic-mass spectrometric analysis of sulfur mustard adducts to blood biomolecules (exhibit), 724–725  
sample preparation procedure for sulfur mustard adducts to deoxyribonucleic acid in blood (exhibit), 722
- Bolimov, Battle of  
chlorine gas attacks, 17  
T-shells used at, 14
- Bone marrow  
mustard agent exposure effects, 288–290, 669, 672
- Boomfield, C.A.  
butyrylcholinesterase research, 245
- Boots  
alternative footwear system, 573  
black vinyl overboots, 573  
medical problems and, 573  
risk of falls and, 573
- Borris, D.J.  
ketamine research, 230
- Botulinum neurotoxin  
CDC categorization as a category A threat agent, 616
- Bowers, M.B.  
nerve agent exposure research, 320  
2-chlorobenzylidene malononitrile research, 452
- Boyer, A.E.  
urine sample analysis for mustard agent, 711
- Boyton, Capt. E.C.  
chemical weapon use and, 12  
Branch Davidian compound, Waco, TX  
FBI attack on, 125
- Brandeis, R.  
plasma-derived human butyrylcholinesterase research, 249
- Brevetoxin  
chemical structure (figure), 629  
laboratory findings, 630  
mechanism of action, 629  
monitoring, 630  
physical examination and, 629–630  
protection, 631  
red tide blooms and, 628, 629–630, 631  
routes of exposure, 629–630  
signs and symptoms of intoxication, 630  
sodium channel effects, 617  
stability, 631  
surveillance, 631  
synthesis, 628–629  
toxicity, 629  
treatment, 630–631
- Brisebois, R.J.  
mustard agent exposure treatment, 279
- British antilewisite  
lewisite exposure treatment, 291, 293, 523, 667
- Bronchoalveolar lavage fluid  
inhalational injury from toxic industrial chemicals and, 348
- Broselow, Dr. James  
Chemical Warfare Involving Kids Response Project and, 681
- Broselow-Luten system  
antidote drug card for pediatric dosing of atropine (figure), 683  
availability of, 681–682  
description, 681  
generic needs of children in a disaster situation and, 681–682  
logistical difficulties and, 681–683  
specific needs of children in a chemical disaster and, 682–683  
steps involved in administering a dose of medication (figure), 682
- Browder burn severity assessment, 282
- Brussels Convention  
description, 136
- BTX. *See* Batrachotoxin
- BuChE. *See* Butyrylcholinesterase
- Budesonide  
chlorine inhalation treatment, 353
- Bulgaria  
accidental release of chloropicrin in Sofia, 443, 455
- Bullard, Maj. Gen. Robert  
comments on gas attacks, 66  
gas attack order, 22  
gas training for troops and, 22
- Bullene, Maj. Gen. Egbert  
Korean War comments, 54
- Buscher, H.  
long-term health effects of mustard, 312, 314
- Bush, Pres. George H.W.  
chemical weapons destruction plan, 138
- Bush, Pres. George W.  
National Incident Management System and, 492  
Project BioShield and, 251  
US Department of Homeland Security creation and, 755  
warning to the UN on Iraq's weapons of mass destruction program, 66
- Butyrylcholinesterase. *See also* Plasma-derived human butyrylcholinesterase  
biomolecule assays and, 700–701

- bioscavenger use, 245, 706
  - description, 158
  - gender differences in activity of, 164
  - physiological role, 163
  - succinylcholine and, 164
  - synthesis of, 163–164
- BZ. *See* 3-quinuclidinyl benzilate
- C**
- CaE. *See* Carboxylesterase
- CAIs. *See* Chemical accidents or incidents
- Calabar bean
  - use as a nerve agent, 156
- Calamine lotion
  - mustard agent exposure treatment, 670
- California
  - accidental chloropicrin exposure in Kern, CA, 456, 457
- Calmatives. *See* Bioregulators
- Cambrai, Battle of
  - chemical warfare, 24–25
  - trench conditions, 24
- CANA. *See* Convulsive Antidote, Nerve Agent injector
- Canada
  - Russia's elimination of chemical weapons and, 145
- Canadian Department of National Defence
  - Reactive Skin Decontamination Lotion and, 652–653
- Cannabinoids
  - description and effects of, 418
- Cantigny, Battle of
  - chemical attacks, 27, 29
- Capacio, B.R.
  - blood sample analysis of mustard agent exposure (figure), 725
- Caplin ammonia inhalation classification, 355
- Capsaicin. *See* Oleoresin capsicum
- Carbamates
  - characteristics of, 198–199
  - chemical structure (figure), 198
  - compounds included, 158
  - mechanism of action, 161, 198
  - uses of, 158
- Carbon monoxide gas
  - Germany's experimental testing on human subjects in concentration camps, 105
- Carboxylesterase
  - bioscavenging use, 246
- Carcinoma
  - dibenz[*b,f*]-1,4-oxazepine exposure and, 468–469
  - mustard agent exposure and, 312–314, 313–314, 315–316
  - 1-chloroacetophenone and, 461
  - palytoxin and, 619
  - 2-chlorobenzylidene malononitrile and, 449
- Cardiovascular system
  - American Heart Association recommended values for safe cardiovascular function (table), 542
  - arrhythmias, 179–180
  - batrachotoxin effects, 633
  - brevetoxin effects, 630
  - change in the electrocardiogram caused by the presence of cyanide in the tissue (figure), 392
  - cyanide poisoning effects, 391–393
  - effects of nerve agent exposure, 179–180
  - electrocardiogram from a cyanide-intoxicated individual (figure), 392
  - heart rate, 180
  - incapacitating agent exposure effects, 472
  - palytoxin effects, 619, 620
  - paralytic shellfish poisoning effects, 626
  - saxitoxin effects, 623, 627
  - tetrodotoxin effects, 623, 627
- Carfentanil
  - description and incapacitating effects, 419
- Cassava root
  - cyanide exposure and, 323, 374, 390, 731
- Castro, J.A.
  - 1-chloroacetophenone research, 460
- Catalytic bioscavengers
  - chloroperoxidase, 250
  - compared with stoichiometric scavengers, 250
  - human paraoxonase 1, 250–251
  - sources of, 250
- CBRNE incidents. *See* Chemical, biological, radiological, nuclear or explosive incidents
- CDC. *See* Center for Disease Control and Prevention
- Center for Disease Control and Prevention. *See also* National Institute for Occupational Safety and Health
  - classification of bioterrorism agents / diseases (table), 617
  - demilitarization of chemical agents and, 142, 143
  - Enhanced Surveillance Program, 622
  - Laboratory Response Network and, 765–766
  - list of toxic chemicals and chemical agents, chemical characteristics, and medical first aid and antidote treatment, 761
  - phosgene inhalation treatment guidelines, 354
  - sample collection, shipping, and storage guidelines, 739–741
  - Strategic National Stockpile and, 765
  - threat agent categorization, 616–617
- Center for Pediatric Emergency Medicine
  - pediatric nerve agent antidote dosing schedule, 684
- Central Intelligence Agency
  - lysergic acid diethylamide and, 414
  - saxitoxin capsules and, 628
  - terrorist interest in food and water contamination, 672
- Central nervous system
  - batrachotoxin effects, 633
  - brain lesions, 178
  - cyanide poisoning effects, 393–394
  - electroencephalographic effects of nerve agent exposure, 176–177, 321–322
  - hypoxia, 178–179, 180, 287
  - long-term effects of nerve agent exposure, 177–179
  - mustard agent effects, 276, 290, 315, 669
  - nerve agent effects, 175–179, 317
  - neuropsychiatric symptoms, 315
  - organophosphate insecticide effects, 317
  - palytoxin effects, 621
  - pediatric exposure to toxic agents and, 659
  - polyneuropathy, 317
  - saxitoxin effects, 623, 625–626
  - seizures, 178–179
  - soman effects, 416
  - tetrodotoxin effects, 623, 625–626
- CG. *See* Phosgene
- Chad
  - Libya's use of chemical weapons against, 63
- Champagne-Marne defensive
  - chemical attacks, 30
  - US participation (figure), 31
- Chapman, A.J.
  - 1-chloroacetophenone research, 462
- Charles XII, King (Sweden)
  - use of toxic smoke projectiles, 11
- Chateau-Thierry, Battle of
  - chemical attacks, 29
  - overview and detailed maps (exhibit), 28
- ChE inhibitors. *See* Cholinesterase inhibitors

- Chemical, biological, radiological, nuclear or explosive incidents
  - detection and response capabilities of DoD, 761–762
  - effective information flow and, 754
  - reach back capabilities of DoD, 763
  - training and education issues, 767–770
- Chemical Accident or Incident Response and Assistance Operations*
  - chemical surety resource, 594
  - level 1 medical care, 609
  - Medical Management of Chemical and Biological Casualties Course, 594–595
  - Toxic Chemical Training Course for Medical Personnel, 594–595
- Chemical accidents or incidents
  - Chemical Stockpile Emergency Preparedness Program, 609
  - coordination required, 607–608
  - decontamination procedure, 609
  - emergency medical care, 608
  - information needed, 608–609
  - levels of medical care, 609
  - medical aspects of response to, 607–609
  - medical response teams and, 607
  - planning phase, 607
- Chemical agent detector kits
  - description and uses, 576–577
- Chemical and biological protected shelters
  - composition of, 585–586
  - description, 585
- Chemical Biological Medical Systems Joint Project Management Office
  - responsibilities, 4
- Chemical Corps
  - air and ground delivery systems for chemical weapons, 120
  - cannabinoid research, 418
  - changes of the 1970s, 60–61
  - Chemical Warfare Service name changed to, 53
  - incapacitant program, 55–56
  - Korean War and, 54
  - lysergic acid diethylamide testing, 416–417
  - medical research on human volunteers during the 1950s, 55
  - mission, 53–54
  - 1950s changes in, 54–55
  - planned changes of the 1970s, 60–61
  - sarin production, 55
  - 3-quinuclidinyl benzilate testing, 414
  - training and education in CBRNE and, 767
  - US Army reorganization and, 56–57
  - Vietnam War and, 57
- Chemical defense equipment
  - collective protection, 584–587
  - criteria for selection of, 560
  - decontaminable litters, 588–589
  - decontamination equipment, 581–584
  - detection and warning systems, 575–579
  - individual chemical patient resuscitation devices, 587–588
  - individual protective equipment, 561–575
  - integrated approach to protection, 560
  - patient protective wraps, 587
  - principles for optimal outcome, 560
  - respirators, 560
  - timely detection need, 560
  - toxic industrial material protection, 580–581
- Chemical personnel reliability program
  - description, 605
  - medical authority recommendations, 605
  - medical support of, 605, 607
  - potentially disqualifying factors, 605
- Chemical protective glove set
  - decontamination of, 574
  - description and composition of, 573
- Chemical Security Analysis Center
  - description and role, 767
- Chemical Stockpile Emergency Preparedness Program
  - alternative year exercises, 766–767
  - chemical accidents or incidents and, 609
  - chemical depots, 766–767
  - DoD role, 766
  - federally managed exercises, 766
  - FEMA role, 766
- Chemical Surety* (AR 50-6), 594
- Chemical terrorism. *See* Terrorist attacks
- “Chemical Warfare in Southeast Asia and Afghanistan” (Haig), 62
- Chemical Warfare Involving Kids Response Project
  - description, 681
- “Chemical Warfare Respiratory Protection: Where We Were and Where We Are Going,” 561
- Chemical Warfare Service
  - airplane attack testing, 119
  - chemical agent and weapon stockpiling, 119
  - chemical weapon delivery system improvement, 118
  - complaints about gas mask effectiveness, 83
  - creation of, 22, 90, 117, 761
  - divisions, 22
  - Gas Service, 22, 89–90
  - Italian-Ethiopian War and, 46
  - low point in funding for, 44
  - monitoring of Japan’s use of chemical weapons in China, 52
  - name change to Chemical Corps, 53
  - need for permanent status of, 43–44, 53
  - 1920s and, 43–44
  - organophosphorus compound designations, 47
  - plans to use poison gas on Japan, 52–53
  - staff statistics, 37
  - standardization of chemical agents, 44
  - training of troops during World War II, 53
- Chemical weapons. *See also* Development of chemical weaponry; *specific chemicals; specific conflicts*
  - agent toxicity determination, 657
  - capabilities of nations, 131–132
  - categories of, 10
  - “chemical threat” definition, 130
  - comparative volatility of chemical warfare agents (table), 135
  - compared with biological weapons, 126
  - delivery systems, 80, 117–118, 119, 120–122, 123, 130, 132–133, 157
  - demilitarization of, 609–611
  - description, 2, 10
  - desirable outcomes of the use of, 2
  - direct injuries from, 10
  - effectiveness as weapons, 79
  - features of, 133
  - future threats, 4
  - general principles of chemical exposure, 657
  - How to Tell the Gases* poem by Maj. Fairfax Downey (exhibit), 41
  - indirect injuries from, 10
  - Joint Program Executive Office role, 4
  - military advantages of, 2
  - military chemical agents, 133–134
  - modern chemical warfare agents (table), 134
  - nonpersistent agents, 135
  - persistent agents, 135–136, 244
  - physical properties of chemical agents, 134–136
  - political and legal ramifications of an attack, 692
  - potential for use in the civilian sector, 692

- psychological effect of, 2, 19–20
- stockpile management, 3–4
- tactical and strategic use of, 132
- terrorist threat, 4
- timeline of agents, 2–3
- toxin comparison, 616–617
- US stockpile agent destruction (table), 143
- volatility of, 134–135, 168
- wind and weather considerations, 80, 117, 131, 135–136
- Chemical weapons agreements
  - Biological Weapons Convention, 137–138
  - Chemical Weapons Convention, 138–145
  - Geneva Protocol, 136–137
  - UN Disarmament Committee, 137
  - US-Soviet weapons destruction agreement, 138
- Chemical Weapons Convention
  - basic tenets, 139
  - chemical demilitarization, 141–145, 766
  - development of, 138
  - disarmament provisions, 3
  - fenitanyl and, 419
  - governmental proliferation threat, 145
  - implementation issues, 140–141
  - inspection and verification, 140
  - noncompliance issues, 140, 141
  - nongovernmental proliferation, 145
  - prohibition on the use of tear gas in combat, 66, 431, 442
  - ratification of, 138–139, 157
  - schedule and category of chemicals and chemical weapons (table), 139
  - schedule of implementation plan (table), 140
  - scheduling issues, 139–140, 157
  - signing of, 65, 157
  - “toxin” definition, 614
- Chemically protected deployable medical system
  - composition of, 584–585
  - description, 584
  - M28 collective protection equipment, 585
- Chen, K.K.
  - cyanide poisoning research, 383, 384–385
- Children. *See* Infants and children
- China
  - ancient use of toxic smoke, 10, 12, 78
  - chemical weapon production, 48
  - incapacitating agent use, 443
  - invasion by Japan in 1937, 46
- Chlorine
  - accidental release of, 131, 134
  - advantages of as a weapon, 126, 342
  - Battle of Loos and, 18–19
  - clinical presentation of exposure to, 672–673
  - combined with phosgene, 341
  - development of, 14
  - discovery of, 116
  - general mechanisms of toxic gas exposure (figure), 347
  - nerve agents compared with, 181
  - nonmilitary uses, 342
  - pediatric population and, 673
  - Second Battle of Ypres and, 14–18, 21, 80–82
  - signs and symptoms of exposure, 359
  - treatment for inhalation of, 353, 673
  - US production of, 117
  - “white star” mixture with phosgene, 19–20
  - World War I use, 2, 14–19, 21, 80–82, 83
- Chloroacetophenone
  - nonmilitary uses, 342
  - overall effects of, 342
- Yemen Civil War and, 57, 58
- Chloroperoxidase
  - VX nerve agent and, 250
- Chloropicrin
  - accidental release of, 443, 455
  - agricultural uses, 443, 455
  - characteristics of PS, CN, DM, and CR (table), 458–459
  - chemical structure (figure), 456
  - chloropicrin syndrome, 456
  - clinical effects, 456–457
  - deployment methods, 456
  - development and properties of (exhibit), 20
  - earliest reported description involving chemical warfare on the AEF (exhibit), 22
  - introduction of, 20
  - long-term effects, 457
  - mechanism of action, 455
  - physical characteristics, 456
  - physiological effects, 456
  - safes and vaults and, 455
  - severe medical complications, 457
  - synthesis of, 117, 443
  - toxicity of, 443
  - US production of, 117
  - World War I use, 25–26, 455
- Chlorovinylarsonous acid
  - lewisite exposure and, 728
  - published analytical approaches for the analysis of CVAA in urine (figure), 729
  - sample preparation methods for gas chromatographic/mass spectrometric analysis of CVAA (exhibit), 730
- Chlorpromazine
  - LSD intoxication treatment, 417
- Cholinesterase analysis
  - colorimetric assays in the clinical laboratory, 702, 704
  - electrometric ChE assay, 704
  - Ellman assay, 702
  - huperzine A, 704–706
  - laboratory and field assays routinely used by the US Army and their required processing (figure), 703
  - mass spectrometry, 701–702
  - organophosphorus compounds, 701–706
  - pretreatment therapy for nerve agent poisoning, 704–706
  - Test-Mate kit, 702, 704
  - Walter Reed Institute of Research Whole Blood Assay, 702, 705
- Cholinesterase inhibitors. *See also* Nerve agents; *specific agents*
  - blood cholinesterases, 161–166
  - case report: accidental exposure of a man to liquid soman (exhibit), 162–163, 312
  - cholinesterase in tissue, 158
  - compounds, 158–159
  - development of, 46–47
  - diagram of neuromuscular conduction (figure), 160
  - mechanism of action, 159–161
  - pharmacology of, 158–168
  - reversible and irreversible types, 156
- Cholinesterases
  - equine serum butyrylcholinesterase, 245
  - fetal bovine serum AChE, 245
  - plasma-derived human butyrylcholinesterase, 245–249
- Cholinolytic 3-quinuclidinyl benzilate
  - perfluoroisobutylene inhalation treatment, 354
- Church, Maj. J.R.
- Chemical Warfare Service leadership, 90
- Churchill, Sir Winston
  - plans for gas warfare during World War II, 52
- City of New York Bureau of Emergency Medical Services

- pediatric nerve agent antidote dosing schedule, 684
- City of New York Fire Department
  - pediatric nerve agent antidote dosing schedule, 684
- Civil War. *See* US Civil War
- CK. *See* Cyanogen chloride
- Clark, M.G.
  - plasma-derived human butyrylcholinesterase research, 249
- Clean Air Act
  - destruction of chemical weapons stockpile and, 610
- Clermont
  - tetraethyl pyrophosphate testing, 46, 156
- Clinton, Pres. Bill
  - presidential decision directives outlining policy for deterring and responding to terrorism, 754
- Clonidine
  - incapacitating effects, 421
- Cluster bombs
  - chemical weapon delivery, 120, 122
- CN. *See* chloroacetophenone; 1-chloroacetophenone
- Cobalt EDTA
  - cyanide poisoning treatment, 385, 397
- Cobalt salts
  - cyanide poisoning treatment, 397
- Cochrane, Capt. Charles
  - batrachotoxin description, 632–633
- Cochrane, Rexmond
  - Battle of Cantigny and, 27
- Cohn Fraction IV-4 paste
  - plasma-derived human butyrylcholinesterase source, 247, 249, 251
- Cole, T.J.
  - 2-chlorobenzylidene malononitrile research, 450
- Colgrave, H.F.
  - dibenz[*b,f*]-1,4-oxazepine research, 467, 469
- Collective protection
  - categories of, 584
  - chemical and biological protected shelters, 585–586
  - chemically protected deployable medical system, 584–585
  - collectively protected expeditionary medical support, 585
  - M20 simplified collective protection equipment, 586–587
  - modular general purpose tent system chemical-biological protective liner system, 587
  - tactical application, 584
- Collectively protected expeditionary medical support
  - description, 585
- Colombian poison dart frogs
  - batrachotoxin source, 632
- COLPRO. *See* Collective protection
- ComboPen
  - 2-pyridine aldoxime methyl chloride administration, 187
- Cone, D.C.
  - summary of triage systems, 517
- Conner, M.W.
  - hexachloroethane smoke research, 327
- Convulsive Antidote, Nerve Agent injector
  - diazepam administration, 189–190
  - nerve agent exposure treatment, 651
- Cooper, G.J.
  - wound decontamination research, 538–539
- Cooper, W.C.
  - organophosphate insecticide exposure research, 320
- Corson, B.B.
  - 2-chlorobenzylidene malononitrile research, 444
- Corticosteroids. *See also specific agents*
  - ammonia inhalation treatment, 353
  - brevetoxin intoxication treatment, 631
  - chlorine exposure treatment, 673
  - incapacitating agent exposure treatment, 471
  - mustard agent exposure treatment, 282
  - phosgene inhalation treatment, 354, 363
  - toxic industrial chemical exposure treatment, 363
- The Covenant, the Sword, and the Arm of the Lord
  - chemical attack plan, 127
- CP EMEDS. *See* Collectively protected expeditionary medical support
- CR. *See* Dibenz[*b,f*]-1,4-oxazepine
- Creasy, Maj. Gen. William
  - lysergic acid diethylamide research, 414
- Crone, H.D.
  - decontamination research, 529
- CS. *See* O-chlorobenzylidene malononitrile; 2-chlorobenzylidene malonitrile
- CSA. *See* The Covenant, the Sword, and the Arm of the Lord
- CSEPP. *See* Chemical Stockpile Emergency Preparedness Program
- Curran, D.
  - anticholinergic deliriant research, 422
- Currie, W.D.
  - phosgene research, 738
- Cushing, Dr. Harvey
  - account of Royal Army Medical Corps capabilities, Flanders, Belgium, May 5, 1917 (exhibit), 88
  - chemical attack observations, 101
  - initial impressions of mustard agent, 88–89
  - observations of the Second Battle of Ypres, 82
- CVAA. *See* Chlorovinylarsonous acid
- CWC. *See* Chemical Weapons Convention
- CWS. *See* Chemical Warfare Service
- Cyanide. *See also* Cyanogen chloride; Hydrogen cyanide
  - accidental exposures, 374
  - advantages and disadvantages of, 3, 126
  - analytical methods for determining cyanide in biological samples (table), 732–733
  - chemical, physical, environmental, and biological properties (table), 372
  - conventional wounds contaminated with, 523
  - description, 322, 731
  - dietary issues, 323, 372–373, 374, 389
  - endogenous cyanide concentrations for smokers and non-smokers (table), 381
  - executions and suicides and, 373–374
  - “gas chambers” and, 373–374
  - Germany’s experimental testing on human subjects in concentration camps, 105
  - goiter and, 324
  - historical use, 372–373
  - long-term exposure to, 323–324
  - long-term health effects, 322–324
  - mechanism of action, 343, 397, 731
  - mechanism of toxicity, 673–674, 731
  - military use, 372, 373
  - pharmacokinetics and pharmacodynamics, 376
  - physiology, 322
  - quick-kill properties, 373
  - reference range values, 734
  - routes of exposure, 322
  - sources, 372, 374, 731
  - terrorist plots using, 4
  - tobacco smoke and, 323, 324, 374
  - toxicity, 377
  - toxicodynamic effects (figure), 384
  - Tylenol poisoned with, 373
  - uses for, 673
  - volatility of, 373
  - World War I use, 372, 373



- Zyklon B development, 15
- Cyanide poisoning
- analytical methods, 377, 731–734
  - analytical methods to identify cyanide and its metabolites in biological fluids (table), 378–379
  - antidotal treatment, 383, 518–519, 675–676
  - antidotes useful in acute cyanide poisoning (table), 395
  - biochemical basis, 374–377
  - blood sampling issues, 377, 379–381, 382, 387
  - cardiac toxicity, 391–393
  - case synopses, 388–389
  - change in the electrocardiogram caused by the presence of cyanide in the tissue (figure), 392
  - clinical presentation and management of casualties, 381–386, 518–519, 674, 731
  - computational models of cardiac tissue, 392–393
  - Cyanokit treatment, 676
  - decontamination, 386–387
  - detection of cyanide and cyanide metabolites, 377–381
  - effect of cyanide on a ventricular cell (figure), 392
  - electrocardiogram from a cyanide-intoxicated individual (figure), 392
  - enzyme inhibition, 382–383
  - fire victims and, 390–391, 731
  - fundamentals of cyanide antidote therapy (figure), 385
  - hemodialysis treatment, 383
  - histopathologic changes in cardiac tissue, 391–392
  - laboratory findings, 387, 674
  - lethal dose, 383
  - long-term effects, 387–389
  - metabolic routes, 376, 731
  - methemoglobin former treatment, 394–396
  - mnemonic for recognition of cyanide toxicity (exhibit), 675
  - mortality from, 322, 376, 381, 731
  - mouth-to-mouth resuscitation and, 675
  - multistage antidote kit treatment for managing unconscious, cyanide-exposed patients (table), 675
  - neurological/psychological responses to cyanide and its countermeasures, 393–394
  - oxygen therapy, 385
  - patient transport/evacuation, 387
  - pediatric considerations, 389–390, 674–676
  - plot against the US Embassy in Italy, 128
  - polyintoxications, 390–391
  - procedures for collecting and storing blood samples for delayed cyanide analysis (exhibit), 382
  - protection of rescuers, 382
  - schematic diagram of possible detoxification reaction for cyanide in a theoretical cell (figure), 375
  - specific antidotes, 394–397
  - supportive treatment, 323, 383, 674, 675
  - survivability of, 381–382, 388–389
  - symptoms of severe ingestions, 323
  - therapy principles, 381–386
  - thiocyanate and, 380
  - treatment, 674–676
  - triage considerations, 386, 518–519, 521, 522, 523
  - 2-aminothiazoline-4-carboxylic acid and, 376
  - US approach to cyanide antidotes (table), 386
  - variation of sodium nitrite and sodium thiosulfate dose with hemoglobin concentration (table), 676
  - wound decontamination and, 538
- Cyanogen bromide
- introduction of, 373
- Cyanogen chloride
- delayed toxic effect, 373
  - discovery of, 116
  - introduction of, 18
  - synthesis of, 116
  - US troop training and, 53
  - World War I use, 373
- Cyclohexylmethyl phosphonofluoridate. *See* Cyclosarin
- Cyclosarin
- aging time, 202
  - chemical structure (figure), 694
  - hydrolysis pathway of sarin, soman, and cyclosarin (figure), 696
  - Iraq's production of, 202
  - polyneuropathy and, 317
  - synthesis of, 157
  - toxicity and speed of action, 156, 168, 693
  - treatment of exposure to, 202
  - volatility of, 168
- Cysteine
- phosgene exposure and, 736
- Cytosan
- similarity of mustard agent to, 313
- ## D
- DA PAM 40-8. *See* *Occupational Health Guidelines for the Evaluation and Control of Occupational Exposure to Nerve Agents GA, GB, GD, and VX*
- DA PAM 40-173. *See* *Occupational Health Guidelines for the Evaluation and Control of Occupational Exposure to Mustard Agents H, HD, and HT*
- DA PAM 50-6. *See* *Chemical Accident or Incident Response and Assistance Operations*
- DA PAM 385-61. *See* *Toxic Chemical Agent Safety Standards*
- DAET. *See* Diisopropyl aminoethanethiol
- Dakin solution
- treatment of mustard agent injuries, 280–281, 671
- Dantrolene
- combined with diazepam, 228
  - dosage considerations, 227
  - soman-induced seizure-related brain damage treatment, 227–228
- Dark, Dr. Eric P.
- personal account of a chemical attack (exhibit), 102
- Datura
- use as an incapacitating agent, 413
- Davies, D.R.
- nerve agent research, 317
- Davy, Sir Humphry
- synthesis of phosgene, 116
- Debridement
- enzymes and, 284–285
  - lasers and, 284
  - powered dermabrasion, 284
  - treatment of mustard agent injuries, 280, 282, 283–285, 290, 670–671
  - wound decontamination and, 539
- Decontaminable litters
- description and uses, 588–589
- Decontamination equipment
- equipment decontamination, 582–583
  - joint service personnel skin decontamination system, 582
  - M291 skin decontamination kits, 533, 536, 581
  - methods in development, 583–584
  - patient thorough decontamination, 543–546
  - pediatric population and, 661, 678
  - personnel decontamination, 581–582
- Decontamination of chemical casualties
- action of chemical agents on the skin, 529–530
  - air heaters and, 550

- ambient temperature issues, 548–550
- appropriate uses for military decontaminants (table), 535
- barrier skin creams, 530–532
- casualty decontamination (figure), 502
- chlorine exposure and, 673
- civilian workers and, 528–529
- cold shock and, 548–549
- cold weather and, 548–550
- common problems with potential decontaminants, 533
- Contaminated Casualty Decontamination Course, 763
- cyanide poisoning and, 386–387, 675
- decontamination methods based on ambient temperature (table), 550
- decontamination shelters, 544–546, 552
- description, 528, 551
- desirable traits of a skin decontaminant (exhibit), 534
- detection devices, 544
- dry decontaminants, 534, 536
- equipment for, 543–546, 581–584
- establishing a patient thorough decontamination area, 546–548
- field management of chemical casualties and, 497, 498–500, 501–504, 505, 506
- glove issues, 539
- hypothermia and, 548–549, 677
- immediate level, 500, 528
- incapacitating agents and, 469–471, 520
- individual protective ensemble and, 528
- methods of decontamination, 532–537
- military and civilian decontamination procedures, 528–529
- minimal decontamination procedures based on agent characteristics (table), 498
- mustard agent and, 277, 312, 670
- nerve agent exposure and, 180–181
- objectives of, 532
- oxidation, 537
- packaged wet decontaminants, 536–537
- palytoxin and, 620, 621
- patents covering work on active topical skin protectant at the US Army Medical Research Institute of Chemical Defense (table), 532
- patient operational decontamination level, 500, 528, 529
- patient thorough decontamination level, 500, 539–548
- pediatric population, 670, 676–678
- placement of teams and areas, 514–516, 547
- purposes of, 528
- soap and water (hydrolysis), 533–534, 544, 551
- special populations and, 550–551
- time after exposure and, 528
- triage issues, 513–516, 677
- warming tents, 549
- waste water disposal, 546–547
- water concerns, 546–547
- wound decontamination, 538–539
- zones for, 677
- Decontamination shelters
  - fixed facilities and, 545–546
  - uses of, 544–545
- Defense Medical Readiness Training Institute
  - CBRNE training program, 768
- Defense Threat Reduction Agency
  - Defense Nuclear Weapons School, 769
  - medical mission, 4
  - responsibilities, 646
- Deliriant. *See* Anticholinergic deliriant
- Delivery systems
  - agent vaporization (figure), 134
  - airplane smoke tanks, 120
  - base ejection, 132
  - bulk release, 132
  - chemical rockets, 120, 157
  - cluster bombs, 120, 122, 157
  - drones, 122
  - explosive release, 132
  - four modes of chemical agent release (figure), 133
  - generator clusters, 122
  - improvised explosive devices, 130, 145, 580
  - land mines, 120–121, 157
  - projectors, 26, 118, 119, 123, 157
  - rocket program, 121–122, 157
  - spray delivery, 132, 157
  - spray tanks, 120
  - toxic smokes, 10–11, 134
  - trench mortars, 26, 118, 119
  - typical German chemical cylinder set up and ready for discharge (figure), 80
  - vulnerability of battlefield areas, 132
- Demilitarization of chemical agents
  - occupational safety issues, 142
  - Russian program, 144–145
  - US program, 141–143, 766
- Democratic National Convention of 2004
  - CDC Enhanced Surveillance Program data, 622
- Deoxyribonucleic acid
  - mustard agent injury and, 264–265, 312, 315–316, 718–721
  - sample preparation procedure for sulfur mustard adducts to deoxyribonucleic acid in blood (exhibit), 722
- DEPMEDS. *See* Chemically protected deployable medical system
- Dermatological effects. *See* Skin effects
- Despretz, Cesar-Mansuete
  - synthesis of mustard agent, 116–117, 260
- Detection and warning systems
  - point detectors, 575–577
  - standoff detectors, 577–579
  - toxic industrial material detection and identification, 580–581
- Development of chemical weaponry
  - early chemical warfare agents (table), 116
  - early history, 116–117
  - 1920s, 118–119
  - 1930s, 119–120
  - 1940s, 120
  - 1950s, 120
  - 1960s, 120–122
  - 1970s, 122–124
  - 1980s, 124–125
  - World War I, 117–118
  - World War II, 120
- Dexanabol
  - mechanism of action, 229–230
  - soman-induced seizure-related brain damage treatment, 229–230
- DFP. *See* Diisopropyl fluorophosphate
- DHS. *See* US Department of Homeland Security
- Diagnostics
  - archived human samples from past exposure incidents and, 692–693
  - biomonitoring, 692
  - containers for shipping, 740
  - cyanide poisoning, 731–734
  - documentation for containers, 740
  - far-forward field settings and, 693
  - labeling specimens, 740
  - lewisite exposure, 728–731
  - method overview, 692–693
  - nerve agents, 693–706

- packaging specimens, 740
- phosgene exposure, 734–738
- preparing, shipping, and storing specimens, 740–741
- sample considerations, 739–741
- sulfur mustard exposure, 706–728
- 3-quinuclidinyl benzilate, 738–739
- Dianisidine chlorosulphonate
  - development and use of, 13–14, 79
- Diazepam
  - anticonvulsive therapy, 189–190, 316
  - arrhythmia treatment, 179
  - brevetoxin intoxication treatment, 630
  - Convulsive Antidote, Nerve Agent injector for, 189–190
  - incapacitating effects, 420
  - pediatric population and, 664
  - severe nerve agent exposure and, 193, 194, 223, 244, 316, 520
  - soman-induced seizure-related brain damage treatment, 227–228, 230, 231–232
- Dibenz[*b,f*]-1,4-oxazepine
  - acute effects, 467
  - characteristics of PS, CN, DM, and CR (table), 458–459
  - chemical structure (figure), 467
  - clinical effects, 467–469
  - deployment methods, 467
  - initial deployment of, 442
  - long-term effects, 468–469
  - nonmilitary uses, 342
  - physical characteristics, 467
  - physiological effects, 467
  - severe medical complications, 468–469
- Dichlorethylsulphide. *See* Mustard agent
- Dicobalt edetate. *See* Cobalt EDTA
- Diglutathionyl dithiocarbonate. *See also* Glutathione
  - chemical structure (figure), 735
  - phosgene exposure and, 735–736
- Diisopropyl aminoethanethiol
  - VX nerve agent assays and, 695
- Diisopropyl fluorophosphate
  - bioscavenger use on, 250
  - British research on, 48
  - electroencephalographic effects, 321
  - toxicity of, 48
- Diisopropyl phosphorofluoridate. *See* Sarin
  - blood cholinesterase inhibition and, 164–165
  - electroencephalographic effects, 176–177
  - insecticide use, 158–159
- Diller, W.F.
  - phosgene research, 735
- Dimercaprol. *See* British antilewisite
- Diphenylaminearsine
  - acute effects, 465–466
  - characteristics of PS, CN, DM, and CR (table), 458–459
  - chemical structure (figure), 464
  - clinical effects, 465–466
  - deployment of, 464
  - development of, 442, 464
  - incapacitating dose, 465
  - incapacitating effects, 416
  - long-term effects, 466
  - mortality from, 465
  - physical characteristics, 464
  - physiological effects, 464
  - severe medical complications, 466
- Diphosgene. *See* Chloropicrin
- Dissociative anesthetics. *See also specific agents*
  - description and incapacitating effects, 419–420
- Ditran
  - incapacitating effects, 426
- Dizocilpine
  - soman-induced seizure-related brain damage treatment, 227–228
  - toxic effect of, 228
- DM. *See* Diphenylaminearsine
- DNA. *See* Deoxyribonucleic acid
- DoD. *See* US Department of Defense
- Domankevitz, Y.
  - mustard agent injury treatment, 285
- Domestic preparedness
  - chemical preparedness programs and initiatives, 766–767
  - Chemical Security Analysis Center, 767
  - Chemical Stockpile Emergency Preparedness Program, 766–767
  - DoD roles, 758–761
  - DoD support to civil authorities, 761–764
  - effective information flow and, 754
  - emerging threats, 754
  - exercises, 766–767, 769–770
  - federal emergency response plan (figure), 762
  - “incident command system” and, 754
  - Laboratory Response Network, 765–766
  - local responses, 754
  - military healthcare role, 754, 764
  - National Bio-Defense Analysis and Countermeasure Center, 767
  - national civilian preparedness, 1990–2001, 754–755
  - National Disaster Medical System, 765
  - national preparedness programs and initiatives, 765–766
  - “120 Cities Program,” 755
  - organizational outline for incident management command (figure), 757
  - overview of the initial federal involvement under the Stafford Act (figure), 760
  - post-September 11, 2001, 755–758
  - state and regional authorities and, 754
  - Strategic National Stockpile, 765
  - training and education, 767–770
- Donepezil
  - Alzheimer’s disease treatment, 158
- Dorandeu, F.
  - ketamine research, 230
- Doughty, John
  - chemical warfare proposals, 11–12
- Downey, Maj. Fairfax
  - How to Tell the Gases* poem, 41
- DPIA. *See* Dry powder inhaler atropine
- Drager-Tubes industrial detectors, 580–581
- Drasch, G.
  - tissue sample analysis of mustard agent exposure, 726
  - urine sample analysis for mustard agent exposure, 710, 715–716
- Drones
  - nerve agent delivery, 122
- Dry decontaminants
  - animal studies, 534, 536
  - description, 534
  - examples of, 536
  - M291 skin decontamination kits, 533, 536, 581
  - water issues, 546
- Dry powder inhaler atropine
  - development of, 652
- Dugway Proving Ground, UT
  - open-air test of lethal chemical agents, 123
  - sheep-kill incident, 59
- Durham, D.

- status epilepticus treatment, 231
- Durham, W.F.
  - organophosphate insecticide exposure research, 319
- Dynport Vaccine Company
  - plasma-derived human butyrylcholinesterase production, 653

## E

- Easton, D.F.
  - mustard agent exposure research, 313
- Ecstasy. *See* 3,4-methylene-dioxymethylamphetamine
- Eddleston, M.
  - atropine treatment research, 184
- Edgewood Arsenal, MD
  - Chemical Warfare Service and, 44, 117
  - incapacitating agent research, 414, 422–424, 425–426, 463–464, 466, 467
  - mustard agent production, 119
  - phosgene production, 119
  - post-World War I chemical training and research, 103
  - shell-filling plants, 117
  - 3-quinuclidinyl benzilate research, 422–424
  - 2-chlorobenzylidene malononitrile research, 450
- EEG effects. *See* Electroencephalographic effects
- Egypt
  - ancient use of toxic smoke, 10
  - Yemen Civil War and, 57–58, 341
  - Yom Kippur War and, 61
- Eisenhower, Pres. Dwight D.
  - incapacitating agent research and, 414
- Eldad, A.
  - mustard agent injury treatment, 284
- Electroencephalographic effects
  - nerve agent exposure, 176–177, 321–322
  - organophosphate insecticide exposure, 321
  - three-stage changes, 177
- Electrometric ChE assay
  - description and development of, 704
- ELISA. *See* Enzyme-linked immunosorbent assay
- Ellman assay
  - cholinesterase analysis, 702
- Elsayed, N.M.
  - mustard agent research, 265
- EMPA. *See* Ethyl methylphosphonic acid
- Employment of Chemical Agents*, Field Manual 3-10, 136
- Enzyme debridement
  - mustard agent injury treatment, 284–285
- Enzyme-linked immunosorbent assay
  - mustard agent exposure, 718, 721, 723
  - phosgene exposure, 738
- Enzymes. *See* Bioscavengers
- EPA. *See* US Environmental Protection Agency
- Eq BChE. *See* equine serum butyrylcholinesterase
- Equine serum butyrylcholinesterase
  - bioscavenging use, 245, 246
- Equipment decontamination
  - M295 equipment decontamination kits, 582
  - M17 lightweight decontamination system, 583
  - M100 sorbent decontamination system, 582–583
- Erbium:yttrium-aluminum-garnet laser ablation
  - mustard agent injury treatment, 284
- Er:YAG. *See* Erbium:yttrium-aluminum-garnet laser ablation
- Erythrocyte cholinesterase
  - gender differences in activity of, 164
  - physiological role, 164
  - relation of effects of nerve agent exposure to erythrocyte cholinesterase activity (table), 166
- Ethiopia. *See* Italian-Ethiopian War

- Ethyl bromoacetate tear gas
  - World War I and, 12–13
- Ethyl iodoacetate tear gas
  - World War I and, 13
- Ethyl methylphosphonic acid
  - VS nerve agent assays and, 695
- Ethyl-S-diisopropylaminoethyl methylphosphonothiolate. *See* VX nerve agent
- Explosive release of chemical weapons. *See also specific systems, i.e., Cluster bombs*
  - description, 132
  - droplet release, 132–133
  - vapor release, 132, 134
- Exposure routes of nerve agents. *See also specific agents*
  - definitions of  $C_t$ ,  $LC_{50}$ , and  $LD_{50}$  (exhibit), 168
  - dermal exposure to liquid, 169–170, 185–186, 244
  - effects of dermal exposure to liquid nerve agents (table), 169
  - effects of exposure to nerve agent vapor (table), 169
  - inhalational exposure to vapor, 168–169, 185, 244
- Eyes
  - atropine treatment and, 191–192
  - chloropicrin effects, 457
  - chronic eye disease, 314
  - corneal damage, 274, 314
  - dibenz[*b,f*]-1,4-oxazepine effects, 468
  - dilute hypochlorite and, 537
  - dim vision, 171–172
  - diphenylaminearsine effects, 466
  - eye pain, 172
  - incapacitating agent effects, 442, 471
  - irrigation of, 277, 287
  - lewisite exposure effects, 293
  - light reduction, 171–172
  - mustard agent exposure effects, 274–275, 278, 290, 312, 667, 670, 672
  - mustard agent injury treatment, 287, 288
  - nerve agent exposure effects, 170–172
  - oleoresin capsicum effects, 455
  - 1-chloroacetophenone effects, 461, 463
  - palytoxin effects, 619, 621
  - phosgene oxime exposure effects, 295
  - recovery from injury to, 274, 278
  - topical antibiotics for, 287, 288
  - transient vision loss, 287
  - 2-chlorobenzylidene malononitrile effects, 448, 451–452
  - visual acuity, 172

## F

- Fabrizi, L.
  - phosgene research, 737
- FBI. *See* Federal Bureau of Investigation
- FBS AChE. *See* Fetal bovine serum AChE
- FDA. *See* US Food and Drug Administration
- Federal Bureau of Investigation
  - counterterrorism plans, 128
  - homeland security role, 755
  - oleoresin capsicum research, 443
  - riot control agent use to attack the Branch Davidian compound in Waco, TX, 125
  - terrorist plot to release chlorine gas at Disneyland and, 657
- Federal Emergency Management Agency
  - Chemical Stockpile Emergency Preparedness Program role, 766–767
  - counterterrorism plans, 128
  - formation of, 755
  - state and regional coordination and, 759
- Federal Response Plan

- assignment of specific emergency support functions, 755
- FEMA. *See* Federal Emergency Management Agency
- Fentanyl
  - description and incapacitating effects, 419
  - summary of BZ and fentanyl derivatives (exhibit), 429
  - use by Russia in the Chechen hostage situation, 3, 65, 107, 413, 419
- Fetal bovine serum AChE
  - bioscavenging use, 245, 246
- Fidder, A.
  - blood sample analysis for mustard agent (figure), 723
  - lewisite exposure research, 728
  - organophosphorus compound research, 699
  - urine sample analysis for mustard agent, 711, 713
- Field management of chemical casualties. *See also* Treatment of incapacitating agent exposure; Treatment of mustard agent exposure; Treatment of nerve agent exposure; Treatment of toxic industrial chemical exposure
  - attack measures, 494–495
  - “buddies” and, 486
  - casualty decontamination (figure), 502
  - casualty number and agent characteristics and, 496
  - civilian perspective, 492–493
  - cold zone, 500, 506
  - comparison of military battlefield and civilian casualty care and decontamination (table), 501
  - comparison of taxonomy of care capabilities with levels (echelons) of care particular to chemical casualty management (table), 488–489
  - core principles, 486
  - decontamination area, 505
  - decontamination equipment, 497
  - decontamination levels, 500
  - detailed example of the layout of a patient decontamination site (figure), 504
  - early control point and arrival area, 503–504
  - evacuation corridor, 500
  - force health protection description, 486
  - hazardous materials (HAZMAT) response teams and, 492–493
  - hazardous waste operations and emergency response training and, 515
  - HAZMAT incident medical treatment site setup (figure), 503
  - health service support description, 486
  - hot line, 505
  - hot zone, 498–499, 501
  - integration of military support into civilian homeland response, 493–494
  - key objectives, 495
  - land-based forces, 487–491
  - local responses, 492–493
  - medical equipment and supplies needed, 497–498
  - medical management process, 494–506
  - military management concepts in the civilian setting, 500–502
  - minimal decontamination procedures based on agent characteristics (table), 498
  - National Incident Management System, 492
  - National Response Plan, 492
  - national site setup and control zones for a hazardous materials site (figure), 515
  - patient processing, 502–506
  - personnel requirements, 495–497
  - pillars of force health protection (figure), 487
  - postattack, or recovery, measures, 495
  - preattack measures, 494
  - rapid and effective response capability, 486
  - sea-based forces, 491–492
  - service-specific operations, 487–492
  - taxonomy of care capabilities (figure), 490
  - terrorist attack capabilities, 493–494
  - triage and treatment area (cold zone), 506
  - triage area (warm side), 504–505
  - vapor control line, 505
  - warm zone, 499–500, 504–505
  - wet-bulb globe temperature and, 495–496
  - work-rest cycles and water consumption (without protective ensemble) (table), 497
  - work-rest cycles for workers, 495–496, 542
  - worker fitness level and, 496–497
  - zones of contamination, 498–500, 543
- Field Management of Chemical Casualties Handbook*
  - mustard agent treatment, 670
- Filbert, M.G.
  - dexanabinol research, 229
- Fisher, PFC David Allen
  - exposure to mustard agent during the Persian Gulf War (exhibit), 107
- Fiske, Maj. Norman E.
  - Italian-Ethiopian War observation report, 45
- 520th Theater Army Medical Laboratory
  - field-forward assays for chemical agent exposure, 693
- Florida
  - paralytic shellfish poisoning and, 624
- Flumazenil
  - incapacitating effects, 420
- Fluoxetine
  - incapacitating effects, 421
- Foch, Marshal Ferdinand
  - Champagne-Marne defensive and, 30
  - Meuse-Argonne campaign and, 33
- Ford, Pres. Gerald
  - incapacitating agent use and, 443
- Foroutan, Syed Abbas
  - chemical agent exposure in children and, 656
  - nerve agent and mustard agent treatment research, 184, 195–196
  - patient thorough decontamination research, 540, 547
- Foulkes, Maj. Gen. Charles H.
  - effectiveness of gas as a weapon, 79
- 4-dimethylaminophenol
  - cyanide poisoning treatment, 395–396
- 4-DMAP. *See* 4-dimethylaminophenol
- France. *See also* specific battles and battle sites
  - Berber war, 42–43
  - chemical warfare use during World War I, 12–21
  - cyanide use during World War I, 373
  - hydroxocobalamin treatment for cyanide poisoning, 396, 676
  - incapacitating agent use, 443
  - weaponizing of phosgene, 341
- Franco-Prussian War
  - cyanide use, 373
- Frandsen, A.
  - dantrolene research, 228
- Franzblau, A.
  - 2-chlorobenzylidene malononitrile research, 452
- Free radical scavengers
  - neuroprotectant use, 232
- French, M.C.
  - dibenz[*b,f*]-1,4-oxazepine research, 467
- Fricke,
  - cyanide poisoning treatment, 396
- Fries, Maj. Gen. Amos A.
  - chemical training for soldiers and, 104
  - Chemical Warfare Service and, 43–44
  - Gas Service command, 22, 89–90

- mustard agent and, 20
- Fujikawa, D.G.
  - ketamine research, 230
- Fuller, Maj. Gen. J.F.C.
  - Italian-Ethiopian War observation report, 46

## G

- G8 Global Partnership against Proliferation of Weapons and Materials of Mass Destruction
  - Russia's elimination of chemical weapons and, 144
- G-series nerve agents. *See also specific agents*
  - categorization of (exhibit), 47
  - World War II use of, 3
- GA. *See* Tabun
- Gacyclidine
  - soman-induced seizure-related brain damage treatment, 230
- Galanthamine
  - Alzheimer's disease treatment, 158
- Gangliosides
  - mechanism of action, 227
  - soman-induced seizure-related brain damage treatment, 227
- Gas chromatography
  - blood sample analysis for mustard agent exposure, 721, 723, 725, 726
  - combined with liquid chromatography for mustard agent assays, 711, 713
  - lewisite exposure, 728
  - nerve agent assays and, 695, 699
  - sample preparation methods for the gas chromatographic-mass spectrometric analysis of sulfur mustard adducts to blood biomolecules (exhibit), 724–725
  - sample preparation time, 693
  - urine sample analysis for mustard agent, 710, 716–717, 718
  - USAMRICD research, 693
  - use with MS, 692, 693
- "Gas fright" syndrome
  - description, 82
- Gas masks. *See also* Respirators
  - activated charcoal use in, 561
  - butyl rubber and, 562, 563
  - canisters for, 561
  - chemical destruction of the agent and, 561
  - composition of, 562
  - dead space and, 563
  - development of, 18
  - developmental objectives, 563
  - early types, 80
  - effectiveness against chlorine and phosgene, 19
  - effectiveness against mustard agent, 21
  - faceblanks for, 563
  - "hypo helmets," 561
  - joint service general purpose masks, 563
  - M17 series, 561
  - modern design features, 561–562
  - nose cups for, 563
  - original design features, 561
  - perfluorocarbon rubber and, 562
  - silicone rubber and, 562, 563
  - types of devices (figure), 84
  - use of for children, 657
  - voicemitters, 562
- Gastrointestinal tract
  - brevetoxin effects, 630
  - chloropicrin effects, 457
  - dibenz[*b,f*]-1,4-oxazepine effects, 468
  - diphenylaminearsine effects, 466
  - mustard agent exposure effects, 275–276, 288, 290, 670, 672
  - oleoresin capsicum effects, 455
  - palytoxin effects, 619
  - 2-chlorobenzylidene malononitrile effects, 452
- Gay-Lussac, Joseph Louis
  - cyanide research, 373
- GB. *See* Sarin
- GC. *See* Gas chromatography
- GD. *See* Soman
- Gender factors
  - butyrylcholinesterase activity, 164
  - erythrocyte cholinesterase, 164
- Geneva Protocol
  - chemical weapons provisions, 57, 61, 136–137, 341, 413
  - development of, 136–137
  - United States ratification of, 60, 137
  - weakness of, 137
- Genovese, R.F.
  - equine serum butyrylcholinesterase research, 249
- Germany. *See also specific battles and battle sites*
  - airplane gas attacks during World War I (exhibit), 26
  - chemical warfare use during World War I, 12–21, 79–82, 341, 413
  - chlorine gas attacks, 12, 14–18
  - experimental testing of chemical and biological warfare agents in concentration camps, 105, 157
  - failure to use chemical weapons in World War II, 48–50, 157, 262, 413
  - mustard agent attacks, 2–3, 15, 18, 20–21, 25–26, 83, 261–262
  - nerve agent production, 48, 156
  - nerve agent use in World War II and, 3, 413
  - phosgene attacks, 19–20
  - phosgene oxime production, 294
  - Russia's elimination of chemical weapons and, 145
  - secret development of nerve agents, 46
  - trichloromethyl chloroformate attacks, 20
  - Zyklon B use in Nazi concentration camps, 15, 51, 105, 373, 397, 656
- Gershon, S.
  - organophosphate insecticide exposure research, 319, 320
- GF. *See* Cyclosarin
- Giesbrecht, G.G.
  - hypothermia research, 548
- Gilchrist, Col. Harry L.
  - chemical training for soldiers and, 103
  - Chemical Warfare Service leadership, 90–91, 97
  - plan of a division in action for chemical warfare training purposes (figure), 86
  - "Symptomatology, Pathology and General Treatment of Gas Cases," 91
- GK-11. *See* Gacyclidine
- Glass, Col. Albert
  - incapacitating agent treatment research, 430
- Glaucoma
  - carbamate treatment, 158
- Gloves
  - chemical protective glove set, 573–574
  - decontamination of chemical casualties and, 539
  - joint service lightweight integrated suit technology block 2 glove upgrade, 574
- Glutathione. *See also* Diglutathionyl dithiocarbonate
  - description, 735
  - mechanism of lung injury, 352–353
  - mustard agent reactions with, 265, 708, 711, 717–718
  - phosgene exposure and, 735–736, 738
  - reaction pathway of glutathione (figure), 712
- Glycolates. *See* Anticholinergic delirants
- GM1 monosialoganglioside

- soman-induced seizure-related brain damage treatment, 227
- Goebbels, Paul Joseph  
views on chemical warfare, 49
- Gongwer, L.E.  
2-chlorobenzylidene malononitrile research, 449
- Goodman, Ephraim  
incapacitating agent research, 412–413, 425, 427
- Graebe, Carl  
1-chloroacetophenone invention, 442
- Graham, J.S.  
mustard agent injury treatment, 284, 285, 671  
wound debridement of chemical casualties research, 539
- Graniteville, South Carolina  
accidental release of chlorine, 131, 145, 548
- Grant, Gen. Ulysses S.  
chemical weapon use and, 12
- Gray, P.J.  
2-chlorobenzylidene malononitrile research, 451–452
- Great Britain. *See also specific battles and battle sites*  
chemical warfare use during World War I, 12–21  
dibenz[*b,f*]-1,4-oxazepine use in prisons, 467  
excerpt from “Take Me Back to Dear Old Blighty!” (exhibit), 89  
nerve agent research, 48  
plans for gas warfare during World War II, 52  
Royal Army Medical Corps, 85–89  
Russia’s elimination of chemical weapons and, 145  
six chlorine-phosgene cloud attacks: British casualties December 1915–August 1916 (table), 83  
VX nerve agent synthesis, 157
- Greece  
ancient use of incapacitating agents, 412  
ancient use of toxic smoke, 10, 78, 341  
cyanide use, 373  
Greek fire and flaming concoctions, 11, 78, 341
- “Green cross.” *See* Chloropicrin
- Grignard, Francois Auguste Victor  
chemical weapons developed by, 15
- Growth factors  
mustard agent injury treatment, 285–286
- Gruenthal, M.  
dantrolene research, 228
- GSCOSG. *See* Diglutathionyl dithiocarbonate
- GSH. *See* Glutathione
- Guide for the Selection of Chemical Agent and Toxic Industrial Material Detection Equipment for Emergency First Responders*, 581
- “Gulf War” syndrome  
description, 64
- Gutentag, P.J.  
2-chlorobenzylidene malononitrile research, 449, 450
- Guthrie sulfur mustard synthesis, 260
- ## H
- Haber, Fritz  
comments on the importance of chemical warfare, 41  
development of chlorine gas as a weapon, 14, 15, 80  
Second Battle of Ypres and, 14, 15  
Zyklon B development, 15, 51
- The Hague  
court of arbitration, 136
- Haig, Gen. Douglas  
Battle of Loos and, 18
- Haig, Secretary of State Alexander M., Jr.  
“Chemical Warfare in Southeast Asia and Afghanistan,” 62
- Hair sample analysis  
mustard agent, 726
- Halothane  
pediatric population and, 667
- HAPSITE Smart Chemical Identification System  
description, 544
- Harel, M.  
human paraoxonase 1 research, 251
- Harrigan, A.  
*Armed Forces Chemical Journal* article, 57
- Hart, B.H. Liddell  
Italian-Ethiopian War observation, 46
- Hassan, Capt. Kifah Ali  
Iraq’s attacks on the Kurds and, 126
- Hay, Alistair  
Russia’s use of an incapacitating agent against Chechens, 413
- HC smoke. *See* Hexachloroethane smoke
- HCN. *See* Hydrogen cyanide
- HD. *See* Mustard agent
- Health Service Support in a Nuclear, Chemical and Biological Environment* (FM 4-07.7), 609
- Health Service Support in a Theater of Operations*, 512
- Heart rate  
effects of nerve agent exposure, 180
- Heat injuries  
acclimatization and, 604  
heat stress physiological monitoring for chemical agent workers, 603–604  
individual protective ensemble and, 528, 541–543, 569  
moderating strategies, 603  
training and, 603
- Heat stroke  
differential diagnosis of incapacitating agent intoxication, 428
- Hebb seizure-related brain damage research, 226
- Hefazi, M.  
mustard exposure research, 313
- Heinrich, U.  
2-chlorobenzylidene malononitrile research, 450
- Hellreich, A.  
2-chlorobenzylidene malononitrile research, 450
- Hematologic effects  
paralytic shellfish poisoning, 626
- Hemodialysis  
saxitoxin treatment, 627  
tetrodotoxin treatment, 627
- Henderson, Dr. Yandell  
toxic gas research, 89
- Henderson, NV  
accidental release of chlorine, 131
- Hesse, isolation of physostigmine, 46, 156
- Heston, W.E.  
mustard exposure research, 313
- Hexachloroethane smoke  
composition of, 358  
toxic effects of exposure, 324, 327, 358–359
- Higginbottom, R.  
dibenz[*b,f*]-1,4-oxazepine research, 467, 468
- Hill, A.R.  
2-chlorobenzylidene malononitrile research, 452
- Himsworth, H.  
2-chlorobenzylidene malononitrile research, 452
- Historical background  
chemical attacks involving children, 656–657  
chemical terrorism, 125–130  
chemical warfare capabilities, 130–136  
chemical weapons agreements, 136–145  
cyanide use, 372–373  
development of chemical weaponry, 116–125  
early military uses of toxins, 10–11, 78–79  
incapacitating agents, 412–414, 443  
medical management of chemical casualties, 78–109

nerve agent use, 156–158  
 1920s, 42–45  
 1930s, 45–47  
 1950s, 54–56  
 1960s, 56–60  
 1970s, 60–62  
 1980s, 62–63  
 1990s, 63–65  
 21st century, 65–66  
 US Civil War, 11–12  
 World War I, 12–42  
 World War II, 48–54  
*History of the Peloponnesian War* (Thucydides), 10, 78  
 Hitler, Adolf  
     chlorine gas attack and, 17, 49, 157  
     Germany's failure to use chemical weapons in World War II and, 49, 157, 413  
 HN-1. *See* Nitrogen mustard  
 Hoch, Dr. Paul  
     lysergic acid diethylamide research, 413  
 Hoffmann, Albert  
     lysergic acid diethylamide research, 413  
 Holland, P.  
     1-chloroacetophenone research, 463  
 Holmes, J.H.  
     organophosphate insecticide exposure research, 319, 320  
 Homatropine  
     eye pain and, 192  
     topical application of, 190  
 "Honest John" rockets  
     nerve agent delivery, 122  
 Hospitals  
     decontamination shelters, 545–546  
     Hospital Management of CBRNE Incidents Course, 769  
     M22 automatic chemical agent detector and alarm and, 577  
     patient thorough decontamination areas, 529  
*How to Tell the Gases* (Downey), 41  
 HS. *See* Mustard agent  
 H<sub>2</sub>S. *See* Hydrogen sulfide  
 Hu, H.  
     2-chlorobenzylidene malononitrile research, 452  
 HU-211. *See* Dexanabinol  
 Hu PON1. *See* Human paraoxonase 1  
 Human paraoxonase 1  
     mutation designs, 250–251  
 Hun stoffe. *See* Mustard agent  
 Hup A. *See* Huperzine A  
 Huperzine A  
     compared with physostigmine, 704  
     mechanism of action, 705–706  
     pretreatment with, 704–706  
     red blood cell and acetylcholinesterase protection studies using pyridostigmine bromide and huperzine A after ex-vivo exposure to soman (table), 705  
 Hurricane Katrina  
     National Response Plan and, 492  
 Huxley, Aldous  
     "psychedelic" definition and, 416  
 Hydrocyanic acid  
     US troop training and, 53  
 Hydrogen cyanide. *See also* Cyanide poisoning  
     discovery of the properties and composition of, 116  
     introduction of, 18  
     nonmilitary uses, 342–343  
     treatment for inhalation of, 353–354  
     volatility of, 134, 136  
 Hydrogen sulfide

    properties of, 343–344  
 Hydrolysis compound assays  
     analytical methods, 695  
     analytical methods for assay of nerve agent hydrolysis products (table), 697  
     application to human exposure, 695–698  
     hydrolysis pathway of sarin, soman, and cyclosarin (figure), 696  
     methods used to confirm human exposures to nerve agents via assay of hydrolysis products (table), 698  
 Hydroxocobalamin  
     cyanide poisoning treatment, 385, 390, 393, 396–397, 651, 676  
     properties, 396–397  
     side effects, 396  
 Hypochlorite  
     decontamination of chemical casualties and, 537  
     pediatric casualties and, 677  
 Hypothermia  
     decontamination issues, 548–549, 677  
     pediatric population and, 661  
     stages and symptoms of (table), 548

## I

Ibuprofen  
     phosgene inhalation treatment, 354  
 ICAMs. *See* Improved chemical agent monitors  
 ICG. *See* Indocyanine green fluorescence imaging  
 IEDs. *See* Improvised explosive devices  
 Improved chemical agent detectors  
     false readings and, 576  
     simplicity of operation, 576  
 Improved chemical agent monitors  
     cold weather operation of, 550  
     description, 544, 576  
     effects on decontamination, 531  
 Improvised explosive devices  
     development and use of, 130, 145  
     toxic industrial material used in, 580  
 Incapacitating agents. *See also specific agents*  
     anticholinergic delirants, 422–425  
     antipsychotic drugs, 420  
     armed robots and, 415  
     auditory method of incapacitation, 414  
     cannabinoids, 418  
     characteristics of PS, CN, DM, and CR (table), 458–459  
     chemical methods of incapacitation, 415–425  
     chloropicrin, 443, 455–457  
     common features, 442  
     controversy over using, 431–432  
     conventional wounds contaminated with, 523  
     decontamination, 469–471  
     delivery systems, 122  
     diagnosis of syndromes caused by, 428–430  
     dibenz[*b,f*]-1,4-oxazepine, 442, 467–469  
     differential diagnosis for (table), 429  
     diphenylaminearsine, 443, 464–466  
     dissociative anesthetics, 419–420  
     factors in decisions to employ, 412, 415  
     FBI's use to attack the Branch Davidian compound in Waco, TX, 125  
     features of, 133–134  
     goal of, 412  
     higher integrative or cognitive functions and, 415  
     history and modern development of, 412–414, 443  
     indole-based psychedelics, 416–418  
     irritants, nausea-producing agents, and toxins, 416  
     Kratzschmer reflex and, 442



- legal barriers to acceptance as weapons, 431
- lethality of, 415
- medical care issues, 469–472
- medical management, 430
- methods of incapacitation, 414–425
- microwave effects, 414
- mortality from, 442
- nerve agents, 416
- neuropeptides and neuromodulators, 420–422
- new developments and future use, 472
- nonchemical methods of incapacitation, 414–415
- nonlethal land mines, 415
- nonmilitary uses, 342
- oleoresin capsicum, 443, 452–455
- olfactory devices, 414–415
- 1-chloroacetophenone, 443, 460–464
- opioids, 418–419
- personal protection, 469
- phenethylamine-based psychedelics, 418
- physiological responses to, 348, 472–473
- police department use, 443
- policy perspective on, 431–432, 443
- production of, 59
- psychoactivity manifestations, 415
- purpose of, 442, 472
- research on, 55–56
- safety margin variations, 415
- safety of, 442
- safety of glycolates, 427
- sedative hypnotics, 418
- stimulants, 418
- summary of BZ and fentanyl derivatives (table), 429
- tranquilizers, 420
- treatment, 425–426, 471–472
- triage considerations, 520, 521, 522, 523
- 2-chlorobenzylidene malononitrile, 416, 443, 444–452
- use of light, 414
- vesicants, 416
- India
  - accidental release of methyl isocyanate in Bhopal, 131, 134, 326, 347
- Individual chemical patient resuscitation devices
  - composition and uses of, 587–588
  - description, 587
- Individual protective ensemble
  - barrier creams and, 531
  - cold weather and, 549
  - heat injuries and, 528, 541–543
  - M20 simplified collective protection equipment and, 586
  - name and job markings for, 547
  - removal of, 547
- Individual protective equipment
  - decontamination personnel requirements, 543–544
  - protective clothing, 569–574
  - psychological factors in the use of, 575
  - respiratory protection, 561–569
  - toxic industrial material and, 580
  - training in the use of, 575
  - vapor penetration of, 543–544
- Individuals with physical or mental disabilities
  - decontamination issues, 551
- Indocyanine green fluorescence imaging
  - mustard agent injury assessment, 283
- Indole-based psychedelics. *See also specific agents*
  - experiments using, 3, 56
  - “psychedelic” definition, 416
- Industrial chemicals. *See Inhalational injury from toxic industrial chemicals; Toxic industrial chemicals; Toxic industrial materials; specific chemicals*
- Infants and children. *See also Medical management of chemical toxicity in pediatrics*
  - accidental exposures to mustard agent, 263
  - cyanide poisoning and, 389–390, 394
  - decontamination issues, 550–551
  - treatment of nerve agent exposure, 195
  - 2-chlorobenzylidene malononitrile ingestion and, 452
- Inhalational exposure to nerve agent vapor. *See also Pulmonary system*
  - atropine treatment, 185
  - compared with dermal exposure, 169–170
  - effects of, 168–169
  - long-term health effects, 324–327
  - severe exposures, 168–169
- Inhalational injury from toxic industrial chemicals
  - airway compartments (figure), 355
  - arterial blood gases and, 360
  - biochemical responses, 351–353
  - bronchoalveolar lavage and, 361
  - carbon dioxide levels and, 361
  - cell membrane destruction, 350
  - centrally acting agents, 355–356, 359
  - chemicals that act on both the central and peripheral airways, 359
  - chest radiographs and, 360
  - clinical presentation and diagnosis, 355–361
  - decreased body weight and, 348
  - determination of the damaged compartment, 340
  - diagnostic tests, 360–361
  - “dry land drowning,” 357
  - gaseous ammonia effects at various concentrations (table), 355
  - general mechanisms of toxic gas exposure (figure), 347
  - general schema for the study of acute and chronic lung injury (figure), 352
  - glutathione and, 352–353
  - inflammatory pathways, 350–351
  - long-term health effects, 354–355, 365
  - main inflammatory agents involved in acute lung injury, their source and action (table), 351
  - mechanism of injury, 340, 355, 356–357
  - mechanism of lung injury and repair (figure), 349
  - mechanisms of lung injury of gaseous respiratory irritants (table), 346
  - mechanistic effects, 346–353
  - medical management, 361–365
  - pathophysiological effects, 348–350
  - patient transport and, 365
  - peripherally acting agents, 356–360
  - physiological responses, 347–348
  - pulmonary capillary wedge pressure and, 361
  - pulmonary function tests and, 360–361
  - specific inhaled toxic-gas-induced effects and their treatments, 353–355
  - ventilation/perfusion scans and, 361
- Insecticides. *See also Organophosphate insecticides*
  - organophosphorus compounds used as, 158–159, 316
- Institute of Medicine
  - study on the effects of mustard agent and lewisite exposure, 312–313, 314, 315, 316
- Interagency for Research on Cancer
  - classification of mustard as a human carcinogen, 315–316
- Intermediate syndrome
  - nerve agents and, 318–319
  - organophosphate insecticides and, 318–319
- International Classification of Epileptic Seizures

- status epilepticus definition, 223
- International Red Cross
  - Yemen Civil War and, 58
- IPE. *See* Individual protective ensemble
- Ipratropium
  - brevetoxin intoxication treatment, 631
- Iran
  - case history: nerve agent exposure in Nazhmar, Iran (exhibit), 662
- Iran-Iraq War
  - assay techniques for mustard exposure, 692–693, 713, 715, 716, 721
  - chemical weapons use, 3, 62–63, 106, 157–158, 195–196, 260, 312, 314, 373, 656
  - mustard agent and, 262–263, 279, 288, 314, 315, 656, 667
- Iraq. *See also* Iran-Iraq War; Persian Gulf War
  - accidental exposure of two US soldiers to sarin in Baghdad, 157–158, 168, 195, 197
  - case history: mustard gas exposure in 14 children and teenagers from Halabja, Iraq (exhibit), 667
  - chemical weapon stockpiles, 157, 312
  - clinical cases of mustard exposure from Mofid Medical Center following the Halabja, Iraq, attack on March 17, 1988 (exhibit), 668–669
  - cyclosarin synthesis, 157
  - cyclosarin production, 202
  - Operation Iraqi Freedom and, 65–66, 130
  - stocks of sarin and VX, 202
  - use of chemical weapons against the Kurds, 63, 65, 106, 126
  - use of 3-quinuclidinyl benzilate during the Persian Gulf War, 413
- Irving, Capt. T.C.
  - report on field sanitation, 84–85
- Isoproterenol
  - phosgene inhalation treatment, 354
- Isosorbide dinitrate
  - palytoxin intoxication treatment, 622
- Israel
  - Arab-Israeli Six-Day War, 58
  - deaths from improper use of gas masks, 657
  - midazolam use for status epilepticus and, 664
  - possible use of DM against Palestine, 443
  - Yom Kippur War, 61
- Italian-Ethiopian War
  - chemical weapons role, 45–46, 137, 262
- Italy
  - Centro Chemico Militaire, 43
  - cyanide plot against the US Embassy, 128
  - early use of poison projectiles, 11
  - Italian-Ethiopian War, 45–46
  - mustard agent disaster at Bari, 21, 53, 105, 262
  - Russia's elimination of chemical weapons and, 145

## J

- Jaeger, Private August
  - warning of a German gas attack, 80
- Jakubowski, E.M.
  - nerve agent research, 699
  - skin sample analysis for mustard agent exposure, 726
  - urine sample analysis for mustard agent exposure, 716
- Jane's NBC Protection Equipment*, 561
- Japan
  - accidental palytoxin poisoning, 620
  - Aum Shinrikyo sarin attacks, 4, 125, 127–128, 158, 178, 181–182, 193, 196–197, 223, 244, 316, 317, 321, 492, 518, 540, 657, 695–696, 699, 754
  - chemical weapon production, 48
  - incapacitating agent use, 443
  - invasion of China in 1937, 46, 262
  - paralytic shellfish poisoning and, 624
- Japanese puffer fish. *See* Tetrodotoxin
- Jobst
  - isolation of physostigmine, 46, 156
- Johnston Island
  - demilitarization of chemical agents, 142, 157
- Joint Combat Developer
  - role in chemical weapon management, 4
- Joint Commission on Accreditation of Healthcare Organizations
  - disaster and medical response to mass casualty events, 492, 493–494
  - training and education for domestic preparedness and, 767
- Joint Program Executive Office
  - role in chemical weapon management, 4
- Joint Program Executive Office for Chemical Biological Defense
  - medical identification and treatment systems joint product management office, 647–650
  - medical program management, 647
  - responsibilities, 646–647
- Joint Project Management Office for Decontamination Reactive Skin Decontamination Lotion and, 652–653
- Joint Requirements Office for Chemical, Biological, Radiological, and Nuclear Defense
  - responsibilities, 646, 650
  - role in chemical weapon management, 4
- Joint Science and Technology Office
  - responsibilities, 650
  - role in chemical weapon management, 4
- Joint service general purpose masks
  - composition, 567
  - description, 563
  - M50 and M51 models, 567–568
  - sizes, 568
  - TIC filters, 568
- Joint service lightweight integrated suit technology
  - block 2 glove upgrade, 574
  - description and composition of, 572
  - design of, 572–573
  - two versions of, 573
- Joint service mask leakage tester
  - description, 564
  - fit and, 563, 564
  - key features, 565
- Joint service personnel skin decontamination system
  - description and uses, 582, 652
- Joint services lightweight standoff chemical agent detectors
  - description and uses, 579
- Joint Test and Evaluation Executive office
  - role in chemical weapon management, 4
- Joint Vaccine Acquisition Program
  - description, 4
  - responsibilities, 647
- Jones, Jim
  - mass suicide of followers using cyanide, 374
- Josse, D.
  - human paraoxonase 1 research, 251
- JPEO. *See* Joint Program Executive Office
- JPEO-CBD. *See* Joint Program Executive Office for Chemical Biological Defense
- JSGPMs. *See* Joint service general purpose masks
- JSLIST. *See* Joint service lightweight integrated suit technology
- JLSCADs. *See* Joint services lightweight standoff chemical agent detectors
- JSMLT. *See* Joint service mask leakage tester

## K

- Kargin, Col. V.A.  
capture of soman research documents, 51
- Keeler, J.R.  
interaction of pyridostigmine bromide with other commonly used battlefield medications, 201–202
- Kemp, K.H.  
2-chlorobenzylidene malononitrile research, 452
- Kennedy, Pres. John F.  
incapacitating agent research and, 414
- Ketamine  
adverse effects, 231  
combined with diazepam, 230–231, 232  
description and incapacitating effects, 419–420  
dosage considerations, 230, 231–232  
mechanism of action, 230  
off-label use as a neuroprotectant, 231  
soman-induced seizure-related brain damage treatment, 230–232
- Kibler, A.L.  
1-chloroacetophenone research, 462–463
- Kiese, M.  
cyanide poisoning research, 394, 395–396  
“King of the war gases.” *See* Mustard agent
- Kirwin, W.E.  
1-chloroacetophenone research, 462
- Kishi, Y.  
tetrodotoxin synthesis, 623
- Kjellstrom, B.T.  
mustard agent injury treatment, 284
- Klasen, H.J.  
enzyme debridement of mustard agent injuries, 284
- Kling, A.  
phosgene research, 736
- Kluchinsky, T.A., Jr.  
2-chlorobenzylidene malononitrile research, 447
- Koenig, K.L.  
summary of triage systems, 517
- Kolokol-1. *See* Fentanyl
- Kondritzer, Albert  
3-quinuclidinyl benzilate research, 423
- Konzo  
cyanide exposure and, 323
- Koplovitz, I.  
memantine research, 228
- Korean War  
chemical weapons and, 54, 105
- Korte, W.D.  
skin sample analysis for mustard agent, 726
- Krar, William  
terrorist attack plan, 128–129
- Krueger,  
organophosphorus compound research, 156
- Krutzsch, Walter  
criticism of the Chemical Weapons Convention, 140–141
- Kubic, V.L.  
phosgene research, 736
- Kuhn, Richard  
soman discovery and synthesis, 48, 51, 157
- Kukenthal, Hans  
tabun research, 47
- Kumar, P.  
1-chloroacetophenone research, 460–461
- Kurbegovic, Muharem. *See* Alphabet Bomber
- Kurds  
Iraqi use of chemical weapons against, 63, 65, 106, 126, 373, 656–657

- Kuschner, W.G.  
hexachloroethane smoke research, 327
- Kuwait  
Iraq’s invasion of, 63–64

## L

- Laboratory Response Network  
description and role, 765–766  
reference laboratories, 766  
sentinel laboratories, 766
- Lacrimators. *See* Incapacitating agents
- Lam, D.G.  
mustard agent injury treatment, 285
- Land mines  
nonlethal types, 415  
used in conjunction with military barrier systems, 135  
VX nerve agent delivery, 120–121, 157
- Lange, Willy  
organophosphorus compound research, 47, 156
- Larimer, E.  
cold-weather protection of decontamination personnel, 549
- Laser Doppler perfusion imaging  
mustard agent injury assessment, 283
- Lashley  
seizure-related brain damage research, 226
- LC. *See* Liquid chromatography
- LDPI. *See* Laser Doppler perfusion imaging
- League of Nations  
Conference for the Supervision of the International Trade in Arms and Ammunition, 136–137
- Leber hereditary optic neuropathy  
cyanide exposure and, 323–324
- LeGrand, Walter  
gas chamber execution, 374
- Lemercier, G.  
nerve-agent-induced brain damage research, 223
- Leven  
physostigmine isolation, 46
- Levin, H.S.  
organophosphate insecticide exposure research, 320
- Levine, R.A.  
1-chloroacetophenone research, 463
- Lewis, Capt. W. Lee  
lewisite named for, 117, 292
- Lewisite  
additives for, 135  
analysis of urine and blood samples, 728  
antidote for, 291  
application to human exposure, 728–731  
biochemical mechanisms of injury, 292, 667  
biomarkers for, 728  
clinical effects, 292, 667  
cold weather and, 548  
compared with mustard agent, 261, 291  
description, 728  
diagnosis, 293  
early production of, 3  
Germany’s experimental testing on human subjects in concentration camps, 105  
Institute of Medicine study on the effects of mustard agent and lewisite exposure, 312–313, 314  
Japan’s use against China, 46  
laboratory tests, 293  
“lewisite shock,” 293  
long-term effects, 294  
mechanism of action, 136, 728  
military use, 292

- properties of, 292
  - published analytical approaches for the analysis of CVAA in urine (figure), 729
  - putative mechanism by which lewisite causes tissue damage (figure), 292
  - sample preparation methods for gas chromatographic/mass spectrometric analysis of CVAA (exhibit), 730
  - toxicity, 292
  - treatment, 293, 667
  - US production of, 117
  - Veterans Administration study on the effects of mustard agent and lewisite exposure, 312–313
  - Ley, Robert
    - views on chemical warfare, 49
  - LHON. *See* Leber hereditary optic neuropathy
  - Libya
    - increase in chemical weapon development, 65
    - use of chemical weapons against Chad, 63
  - Lidocaine
    - saxitoxin treatment, 627
    - tetrodotoxin treatment, 627
  - Limitation of Arms Conference
    - stockpiling of chemical weapons and, 44
  - Lindsay, C.D.
    - mustard agent injury treatment, 285
  - Liquid chromatography
    - blood sample analysis for mustard agent, 723, 725, 726
    - combined with gas chromatography for mustard agent assays, 711, 713
    - combined with mass spectrometry for mustard agent assays, 692, 713, 720–721, 723
    - nerve agent assays and, 695
    - phosgene, 737
    - urine sample analysis for mustard agent, 716–717, 718, 720–721
  - “Little John” rockets
    - nerve agent delivery, 122
  - Livens projectors
    - description, 118, 119
  - Long-term health effects
    - chloropicrin exposure, 457
    - cyanide poisoning, 387–389
    - dibenz[*b,f*]-1,4-oxazepine exposure, 468–469
    - lewisite exposure, 294
    - mustard agent exposure, 291, 312–316
    - nerve agent exposure, 177–179
    - oleoresin capsicum exposure, 455
    - 1-chloroacetophenone exposure, 463–464
    - retrospective studies and, 313
    - toxic industrial chemical exposure, 354–355, 365
    - 2-chlorobenzylidene malononitrile exposure, 452
  - Loos, Battle of
    - chlorine gas attacks, 18–19
  - Lorazepam
    - brevetoxin intoxication treatment, 630
    - LSD intoxication treatment, 417
    - nerve agent exposure treatment, 190, 223
  - Lott, Joseph
    - chemical warfare proposal, 12
  - LRN. *See* Laboratory Response Network
  - LSD. *See* Lysergic acid diethylamide
  - Ludendorff, Gen. Erich
    - Lys Defensive and, 26
  - Lund,
    - burn severity assessment, 282
  - Lundy, P.M.
    - VX nerve agent research, 529
  - Lung cancer
    - mustard agent exposure and, 313–314
  - Lungs. *See* Pulmonary system
  - Luten, Dr. Robert
    - Broselow-Luten system and, 681–683
    - Chemical Warfare Involving Kids Response Project and, 681
  - Lys defensive
    - chemical attacks, 26–27
  - Lysergic acid diethylamide
    - blood level assays, 417
    - Chemical Corps testing of, 416–417
    - historical background of research on, 413–414
    - mode of action, 417
    - physiological effects, 417, 428
    - research on effects of, 56
    - toxicity of, 417
    - treatment for intoxication by, 417
    - unique features of, 416
    - unpredictability of effects, 417–418
- ## M
- M22 automatic chemical agent detector and alarm
    - description, 544
    - description and uses, 577
  - M272 chemical agent water testing kits
    - description and detection limits, 577
  - M45 chemical-biological masks
    - description, 566
    - Land Warrior program and, 567
    - voicemitters, 566–567
  - M53 chemical-biological protective masks
    - audio frequency modifiers, 569
    - protective hoods, 568–569
    - sizes, 568
    - US Special Operations Command requirements, 568
  - M8 chemical detector paper
    - description and uses, 544, 575
  - M9 chemical detector paper
    - description and uses, 544, 575–576
  - M28 collective protection equipment
    - description and uses, 585
  - M295 equipment decontamination kits
    - description and uses, 582
  - M17 lightweight decontamination system
    - description and uses, 583
  - M41 protection assessment test system
    - description, 564
    - fit and, 563
  - M21 remote sensing chemical agent alarms
    - description, 578
    - placement of, 579
    - uses of, 579
  - M20 simplified collective protection equipment
    - description, 586
    - IPE and, 586
  - M291 skin decontamination kits
    - Ambergard resin and, 652–653
    - components, 536, 581
    - description, 533, 581
    - introduction of, 536
    - Reactive Skin Decontamination Lotion and, 536, 653
    - SERPACWA and, 652
  - M100 sorbent decontamination system
    - description and uses, 582–583
  - M256A1 chemical agent detector kits
    - description and uses, 576–577
    - detection limits, 577
  - M42A2 chemical-biological combat vehicle masks

- description and uses, 566
- M40A1 chemical-biological field masks
  - components, 565–566
  - composition of, 565
  - sizes, 565–566
  - voicemitters, 565
- MacArthur, Gen. Douglas
  - comments on US chemical warfare policy, 44–45
- Madden, J.F.
  - 1-chloroacetophenone research, 463
- Maddern
  - cyanide research, 373
- Mafenide acetate
  - pediatric population and, 672
  - treatment of mustard agent injuries, 280, 281, 671–672
- Malathion
  - blood cholinesterase inhibition and, 165
  - insecticide use, 158
- MANAA. *See* Medical aerosolized nerve agent antidote
- Manning, K.P.
  - mustard agent exposure research, 313
- March, Chief of Staff Gen. Peyton C.
  - Chemical Warfare Service and, 43
- Mark I kits
  - buddy administration of, 190
  - components, 651
  - FDA approval for, 651
  - nerve agent exposure treatment, 182–186, 188, 190, 192, 194, 518, 520–521, 523, 651–652
  - pediatric population and, 663, 683
  - treatment of children and, 195
- Marrs, T.C.
  - dibenz[*b,f*]-1,4-oxazepine research, 468
  - hexachloroethane smoke research, 327
  - 2-chlorobenzylidene malononitrile research, 449
- Martin, L.J.
  - “apoptosis-necrosis continuum,” 224
- Mass spectrometry
  - basis for, 692
  - blood sample analysis for mustard agent exposure, 721, 725, 726
  - cholinesterase analysis, 701–702
  - combined with liquid chromatography for mustard agent assays, 713, 720–721
  - lewisite exposure, 728
  - mustard agent assays, 708, 716–717, 718, 720–721
  - nerve agent assays and, 695, 699
  - phosgene, 737
  - sample preparation methods for the gas chromatographic-mass spectrometric analysis of sulfur mustard adducts to blood biomolecules (exhibit), 724–725
  - sample preparation time, 693
- Maxwell, D.M.
  - fetal bovine serum AChE research, 245
- McBride, Capt. Lewis M.
  - rifling of the Stokes mortar barrel, 118
- McCombie, Hamilton
  - diisopropyl fluorophosphate research, 48
- McLean, M.J.
  - memantine research, 228
- McLeod, C.G., Jr.
  - nerve-agent-induced brain damage research, 223
- McNamara, B.P.
  - 1-chloroacetophenone research, 460
  - 2-chlorobenzylidene malononitrile research, 446–447, 449, 450
- McNamara, Secretary of Defense Robert S.
  - Project 112 and Project 80 and, 56
- MCU-2/P chemical-biological masks
  - description and uses, 566
- MDMA. *See* 3,4-methylene-dioxymethylamphetamine
- Meade, Capt. John
  - Italian-Ethiopian War observation report, 45–46
- MEDCOM. *See* US Army Medical Command
- Medical aerosolized nerve agent antidote
  - description, 651
  - nerve agent exposure treatment, 186, 192, 651–652
  - purpose of, 651–652
  - shelf life issues, 652
- Medical chemical defense acquisition programs
  - acquisition manufacturing strategy, 649
  - acquisition process, 646
  - business and contracting strategy, 650
  - challenges, 650–651
  - compound purity and, 651
  - concept development (pre-milestone A activities), 647–648
  - current good manufacturing processes and, 649
  - intellectual property rights and, 649
  - joint vaccine acquisition program, 647
  - lifecycle management products, 651–652
  - manufacturing challenges, 651
  - medical chemical acquisition organizations, 646–647
  - medical chemical acquisition processes and concerns, 647–651
  - model for integrating pharmaceutical development, FDA regulatory, and the Department of Defense acquisition processes (figure), 648
  - operations and support phase, 649
  - production and deployment, 649
  - products in advanced development, 652–654
  - specific concerns, 650–651
  - status of, 651–654
  - sustainment programs, 652
  - system development and demonstration, 649
  - technology development and, 648–649
  - test and evaluation strategy, 649–650
  - transformational medical technologies initiative, 647
  - US Food and Drug Administration and, 646, 647, 648–653
- Medical Defense Against Mustard Gas: Toxic Mechanisms and Pharmacological Implications*, 265
- Medical Identification and Treatment Systems
  - description, 4
- Medical identification and treatment systems joint product management office
  - acquisition business and contracting strategy and, 650
  - advanced development of drugs and, 650
  - “animal rule” for drug product approval and, 647, 651
  - coordination with the technology base, 648
  - lifecycle management, 649
  - mission of, 647
  - production and deployment plans and, 649
  - responsibilities, 647
  - streamlining of acquisition, 650
  - technology development and, 648–649
- Medical Management of Chemical Agent Casualties Handbook*, 184
- Medical management of chemical casualties. *See also* Medical management of chemical toxicity in pediatrics
- Medical Management of Chemical and Biological Casualties Course, 763, 768
  - post-World War I, 103–107
  - pre-World War I, 78–79
  - projections for the future, 108
  - World War I, 79–102
- Medical management of chemical toxicity in pediatrics
  - Broselow-Luten system: a systematic approach with color coding, 681–683

- case history: mustard gas exposure in 14 children and teenagers from Halabja, Iraq (exhibit), 667
- case history: nerve agent exposure in Nazhmar, Iran (exhibit), 662
- challenges to, 657–661
- Chemical Warfare Involving Kids Response Project, 681
- clinical cases of mustard exposure from Mofid Medical Center following the Halabja, Iraq, attack on March 17, 1988 (exhibit), 668–669
- color coding system, 681–683
- decontamination equipment and treatment supplies, 661
- dermatologic vulnerability, 659
- developing a family emergency plan (exhibit), 680
- effects of specific agents, 661–676
- example of a pediatric-specific hospital emergency drug cache (table), 679
- family emergency plan, 678, 680
- general principles of chemical exposure, 657
- history of chemical attacks involving children, 656–657
- logistical time increase, 681–682
- management of mild to moderate nerve agent exposures (table), 665
- management of severe nerve agent exposure (table), 667
- management of vesicant exposures (table), 671
- managing pulmonary agent exposures (table), 674
- metabolic vulnerability, 660
- National Center for Disaster Preparedness, 683
- neurobehavioral vulnerability, 660
- neurological vulnerability, 659
- organ maturity and, 660
- pediatric signs of mustard exposure (table), 670
- pediatric vulnerabilities and implications for clinical management (table), 658
- plasma protein binding and, 659
- preoperative care of children with nerve agent intoxication, 665, 667
- preparing for a chemical event, 678–680
- psychological impact, 678, 680
- psychological vulnerability, 660
- resources, 681–684
- respiratory vulnerability, 659
- steps involved in administering a dose of medication (figure), 682
- strategies to help children cope with terrorist events (exhibit), 680
- traumatic injury vulnerability, 660
- uncooperative or nonverbal children, 678
- unique vulnerabilities, 656
- volume of distribution and, 659–660
- volume status and, 659
- Medical surveillance for chemical agent workers
  - diagram (figure), 598
  - factors determining the type and frequency of surveillance, 599
  - heat stress physiologic monitoring, 603–604
  - medical surveillance compared with personnel reliability, 599
  - periodic medical examinations, 600–601
  - potential exposure evaluations, 602
  - preplacement examinations, 599–600, 603–604
  - respirator clearances, 602
  - screening, 599
  - substance abuse and dependency screening, 602–603
  - termination examinations, 601–602
- Meier, H.L.
  - PARP inhibitor treatment, 227
- Memantine
  - Alzheimer's disease treatment, 228
- pharmacokinetics of, 228
- soman-induced seizure-related brain damage treatment, 228–229
- Memorandum on Gas Poisoning in Warfare with Notes on its Pathology and Treatment*, 90
- Mendelson, J.A.
  - treatment of mustard agent injuries, 281
- Mescaline
  - clinical effect research, 56
- Metabolic system
  - cyanide poisoning and, 376
  - pediatric vulnerability to toxic agents and, 660
- Metal fume fever
  - hexachloroethane smoke and, 327, 358
- Metcalf, D.R.
  - organophosphate insecticide exposure research, 319, 320
- Methemoglobin formers. *See also specific agents*
  - cyanide poisoning treatment, 383–384, 386, 390, 394–396
- Methotrexate
  - similarity of mustard agent to, 313
- Methyl isocyanate
  - accidental release of in Bhopal, India, 131, 134, 326, 347
- Methylprednisolone
  - toxic industrial chemical exposure treatment, 363
- Meuse-Argonne offensive
  - army-level gas hospitals, 97
  - chemical attacks, 33, 36
  - overview of (figure), 35
  - Spanish influenza and, 101
- Meyer, Victor
  - mustard agent research, 117, 260
- Michel, H.O.
  - electrometric ChE assay research, 704
- Midazolam
  - brevetoxin intoxication treatment, 630
  - developmental concerns, 653
  - FDA approval issues, 653
  - nerve agent exposure treatment, 190, 223, 664
- Military medicine. *See also* Medical management of chemical casualties
  - chemical accident and incident preparedness, 142–143
  - chemical weapon implications, 145–146
  - preparation for chemical attacks, 132
- Minami, M.
  - sarin research, 695, 696
- Mion, G.
  - ketamine research, 230
- Mirzayanov, Vladimir
  - nerve agent development by Russia and, 3
- Mission-oriented protective posture
  - barrier creams and, 531
  - gear for levels 1–4 (figure), 570
  - levels of (exhibit), 570–571
  - levels of protection, 569
  - patient thorough decontamination and, 543
  - soap and water decontamination and, 534
  - triage of chemical casualties and, 513, 514
  - water issues, 546
- Mitochondrial permeability transition inhibitors
  - neuroprotectant use, 232
- MITS JPMO. *See* Medical identification and treatment systems
  - joint product management office
- MK-801. *See* Dizocilpine
- MMB4 dimethanesulfonate
  - development of, 653
  - stability concerns, 653
- Modular general purpose tent system chemical-biological protec-

- tive liner system
  - description and uses, 587
- Montreal Protocol
  - medical aerosolized nerve agent antidote and, 652
- MOPP. *See* Mission-oriented protective posture
- Morgenstern, P.
  - long-term health effects of mustard, 312, 314
- Morphine
  - description and incapacitating effects, 418
- MS. *See* Mass spectrometry
- MSMTESE. *See* 1-methylsulfinyl-2-[2-(methylthio)ethylsulfonyl] ethane
- Multiservice Tactics, and Procedures for NBC Protection* (Field Manual 3-11.4), 569
- Murray, V.
  - 2-chlorobenzylidene malononitrile research, 451–452
- Mustard agent. *See also* Nitrogen mustard
  - accidental exposures, 263, 717–718, 723, 725
  - additives for, 135
  - alkylation of deoxyribonucleic acid and, 264–265, 312, 718
  - analysis of specimens, 706–708
  - analytical methods used to verify exposure to sulfur mustard
    - in biomedical samples (table), 714–715
  - barrier skin creams for, 530, 531
  - biochemical mechanisms of injury, 263–265, 708
  - blister fluid analysis, 726
  - blood sample analysis, 718–726
  - carcinogenesis, 290, 312–314, 315–316
  - case history: mustard gas exposure in 14 children and teenagers from Halabja, Iraq (exhibit), 667
  - casualties caused by, 20, 261, 262–263, 266, 667
  - central nervous system effects, 276, 290, 315
  - chronic eye disease and, 314
  - chronic pulmonary disease and, 314
  - clinical cases of mustard exposure from Mofid Medical Center
    - following the Halabja, Iraq, attack on March 17, 1988 (exhibit), 668–669
  - clinical effects, 266–276, 312, 356, 519, 656, 667, 669
  - compared with phosgene oxime and lewisite, 261, 291
  - Cushing's impressions, 88–89
  - day of death after exposure in World War I fatal mustard casualties (table), 266
  - decontamination issues, 277, 312
  - description (exhibit), 21
  - development and properties of, 15, 20, 83
  - diagnosis, 276–277, 692–693
  - disaster at Bari, 21, 53, 105, 262
  - Edgewood Arsenal, MD, production, 119
  - gas mask effectiveness and, 21
  - German production statistics, 48
  - Germany's experimental testing on human subjects in concentration camps, 105
  - hair sample analysis, 726
  - hospitalization and, 262, 277, 281, 670
  - hydrolysis of sulfur mustard to produce thiodiglycol, followed
    - by oxidation reactions (figure), 708
  - initial clinical effects from mustard exposure (table), 266
  - Institute of Medicine study on the effects of mustard agent
    - and lewisite exposure, 312–313, 314
  - introduction of, 18, 261
  - Italian-Ethiopian War use, 45–46
  - Japan's use of against China, 46
  - laboratory findings, 669
  - laboratory tests for, 277
  - long-term health effects, 291, 312–316
  - mechanism of action, 136, 312, 656
  - median lethal dose, 519
  - medical management, 83, 135
  - metabolism, 265
  - military use, 262–263
  - mortality rates, 266, 276, 277, 278
  - mutagenesis, 315–316
  - name derivation, 261–262
  - nerve agents compared with, 181
  - neuropsychiatric symptoms and, 315
  - neutralization of, 533
  - partial-thickness injury treatment, 283
  - pattern of injury, 3
  - pediatric population and, 669–670
  - pediatric signs of mustard exposure (table), 670
  - PFC David Allen Fisher's exposure to mustard agent during
    - the Persian Gulf War, 106–107
  - properties, 263
  - published reports (1997–2006) of laboratory analysis of human blood samples following suspected exposure to sulfur mustard (table), 727
  - published reports (1995–2006) of laboratory analysis of human urine samples for glutathione reaction products following a suspected exposure to sulfur mustard (table), 720
  - published reports (1995–2006) of laboratory analysis of human urine samples for hydrolysis metabolites following suspected exposure to sulfur mustard (table), 719
  - putative mechanisms by which sulfur mustard causes tissue damage (figure), 264
  - rapidity of reaction to, 265, 514, 656
  - reaction pathway of glutathione (figure), 712
  - reactions with glutathione, 265
  - recovery time after exposure to, 262, 278, 519
  - reports published prior to 1995 showing laboratory analysis of human biomedical samples following suspected exposure to sulfur mustard (table), 709
  - reproductive toxicity, 315–316
  - respirator effectiveness, 25–26, 83
  - sample preparation methods for the gas chromatographic-mass spectrometric analysis of sulfur mustard adducts to blood biomolecules (exhibit), 724–725
  - sample preparation methods for the gas chromatographic/mass spectrometric/mass spectrometric analysis of the sulfur mustard urinary  $\beta$ -lyase metabolites (exhibit), 713
  - sample preparation procedure for sulfur mustard adducts to deoxyribonucleic acid in blood (exhibit), 722
  - scarring of epithelial surfaces and, 315
  - skin effects, 267–274
  - skin sample analysis, 726
  - soap and water decontamination, 533, 534
  - synthesis of, 116–117, 312
  - teratogenesis, 315–316
  - tissue sample analysis, 726
  - toxicity, 667
  - treatment of exposure to, 277–291, 670–672
  - triage issues, 519
  - urine sample analysis, 708–718
  - US production of, 117
  - US troop training and, 53
  - Veterans Administration study on the effects of mustard agent
    - and lewisite exposure, 312–313
  - Vietnam War and, 57
  - volatility of, 135
  - weather considerations, 135–136, 263, 266
  - World War I use, 2–3, 15, 18, 20–21, 25–26, 27, 260, 261
  - wound decontamination and, 538
  - Yemen Civil War and, 57, 58
- Mutagenic effects
  - 2-chlorobenzylidene malononitrile, 448

Myasthenia gravis  
treatment of, 156, 198

## N

N-acetylcysteine  
phosgene inhalation treatment, 354  
N-methyl-D-aspartate receptor antagonists  
dexanabinol, 229–230  
dizocilpine, 228  
gacyclidine, 230  
ketamine, 230–232  
memantine, 228–229  
Nagao, M.  
sarin research, 699  
Nakajima, T.  
sarin research, 695, 696  
Naloxone  
opioid overdose treatment, 418  
Namba, T.  
organophosphate insecticide exposure research, 320  
NAPP. *See* Nerve agent pyridostigmine pretreatment  
Nasal effects  
nerve agent exposure, 172–173  
Nasser, Pres. Gamal Abdul (Egypt)  
Yemen Civil War and, 57–58  
National Academy of Sciences  
anticholinergic deliriant research and, 424  
causal relationship between lewisite exposure and chronic respiratory disease, 294  
National Bio-Defense Analysis and Countermeasure Center  
description and role, 767  
National Center for Disaster Preparedness  
Mark I kit recommendations, 663  
Program for Pediatric Preparedness, 683  
National Defence Research Institute of Sweden  
hair specimen analysis for mustard agent, 726  
National Defense Authorization Act  
“Defense against Weapons of Mass Destruction,” 128, 754  
*National Defense Strategy of the United States of America*, 758  
National Disaster Medical System  
description, 765  
National Fire Protection Agency  
levels of protection, 580  
National Guard  
domestic preparedness role, 763  
National Incident Management System  
command and management component, 756  
description, 492, 755–756  
incident-specific resources, 756  
organizational outline for incident management command and coordinating centers (figure), 759  
National Institute for Occupational Safety and Health  
levels of protection, 580  
permissible chlorine exposure level, 359  
phosgene limits, 734  
powered-air purifying respirators and, 544  
2-chlorobenzylidene malononitrile exposure guidelines, 447, 450  
*Working in Hot Environments*, 541  
National Institute of Justice  
*Guide for the Selection of Chemical Agent and Toxic Industrial Material Detection Equipment for Emergency First Responders*, 581  
National Institute of Standards and Technology  
3-quinuclidinyl benzilate monitoring, 739  
National Institutes of Health  
carcinogen bioassays on chemical agents, 134  
1-chloroacetophenone research, 461

Project BioShield and, 251  
National Medical Chemical and Biological Advisory Team  
description and role, 764  
National Research Council  
acute exposure guidance levels for chemical agents, 143  
dibenz[*b,f*]-1,4-oxazepine and, 467  
1-chloroacetophenone and, 463  
2-chlorobenzylidene malononitrile gene mutation and, 448  
National Response Framework  
coordination guidelines for DHHS, 761  
description and role, 758  
National Response Plan  
description, 492, 755–756  
federal department or agency support to state and local governments, 758–759  
integration of the federal government’s domestic prevention, preparedness, response, and recovery plans, 756  
*National Security Strategy of the United States of America*, 758  
*National Strategy for Homeland Security*, 755, 758  
National Toxicology Program  
2-chlorobenzylidene malononitrile carcinogenicity and, 449  
*NATO Handbook on the Medical Aspects of NBC Defensive Operations*  
mustard agent treatment, 670  
NDMS. *See* National Disaster Medical System  
Neostigmine  
description, 158  
tetrodotoxin treatment, 628  
Nernst, Walther Hermann  
accomplishments, 15  
dianisidine chlorosulphonate development, 13–14, 15, 79, 80  
Nernst Ni-Shrapnel. *See* Dianisidine chlorosulphonate  
Nerve agent pyridostigmine pretreatment  
description, 158  
dosage considerations, 202  
Nerve agents. *See also* Incapacitating agents; Neuroprotection  
as a treatment for nerve agent survivors; Organophosphorus compounds; Pyridostigmine bromide; Treatment of nerve agent exposure; *specific agents and types of agents*  
accessibility of and ease of manufacturing, 244, 251  
adducts to biomolecules, 698–701  
advantages of as a weapon, 126  
agents included, 661  
aging half-time of nerve agents (table), 198  
analytical methods for assay of nerve agent hydrolysis products (table), 697  
Arab-Israeli Six-Day War and, 58  
behavioral effects, 175–179  
bioscavengers, 232, 244–253  
cardiovascular system effects, 179–180  
case history: nerve agent exposure in Nazhmar, Iran (exhibit), 662  
case report: accidental exposure of a man to liquid soman (exhibit), 162–163  
central nervous system effects, 175–179  
chemical, physical, and environmental properties (table), 167  
chemical structure (figure), 694  
cholinesterase analysis, 701–706  
clinical presentation, 662  
compared with chlorine, phosgene, and mustard agent, 181  
compared with commonly used ChE inhibitors, 166–168  
compared with insecticides, 316–317  
conventional wounds contaminated with, 522–523  
definitions of *Ct*, *LC*<sub>50</sub>, and *LD*<sub>50</sub> (exhibit), 168  
dermal exposure to liquid, 169–170, 185–186, 244  
description, 204, 316  
diagnostics, 693–706  
effects of dermal exposure to liquid nerve agents (table), 169



- effects of exposure to nerve agent vapor (table), 169
- effects of nerve agents in humans (table), 170
- effects on organs and organ systems, 170–180
- exposure routes, 168–170
- eye effects, 170–172
- fluoride regeneration and, 699
- general clinical tests, 694
- general treatment principles, 180–190, 205, 316
- German production of, 48
- Germany's development of, 46–47
- Germany's experimental testing on human subjects in concentration camps, 105
- historical background of the use of, 156–158
- hydrolysis compound assay, 695–698
- inhalational exposure to vapor, 168–169, 185, 244
- intermediate syndrome and, 318–319
- laboratory findings, 662
- lessons learned from Iran, Japan, and Iraq, 195–197, 223
- lethality of, 244, 661
- long-term health effects, 316–322
- mechanism of action, 156, 159, 204–205, 662
- median lethal dose, 244
- methods used to confirm human exposures to nerve agent adducts to biomolecules (table), 701
- methods used to confirm human exposures to nerve agents via assay of hydrolysis products (table), 698
- mnemonic for cholinergic crisis (exhibit), 662
- molecular models (figure), 166
- muscle necrosis and, 318
- nasal effects, 172–173
- nerve agent antidote kits and pretreatments, 64
- neuropsychiatric symptoms and, 320–321
- parent compound assay, 694–695
- pediatric population effects, 661–667
- pediatric treatment, 195
- persistent nature of, 244
- pharmacology of, 166–168
- physical properties, 167–168
- polyneuropathy, 317
- production during the 1950s, 55
- pulmonary system effects, 173–174
- return to duty considerations, 194–195
- rocket program, 121–122
- secondary contact and, 244
- signs and symptoms of mild to severe exposure, 191–194
- skeletal muscle effects, 174–175, 188
- skin effects, 169–170, 185–186, 244, 529, 661
- specific treatment by exposure category, 190–194
- toxicity of, 661
- toxicological studies, 322
- triage considerations, 518, 520–521, 522–523
- use in combination with other weapons, 244
- volatility of, 134–135, 168
- World War II use, 3, 48
- wound decontamination and, 538
- Yemen Civil War and, 57
- Neuroleptics. *See* Antipsychotic drugs
- Neuropathology of nerve-agent-induced brain damage
  - seizure-related brain damage, 224–225
  - seizures and status epilepticus, 223–224, 664
- Neuropeptides and neuromodulators. *See also specific agents*
  - incapacitating effects, 420–422
- Neuroprotectants
  - classes of drugs, 226–227
  - gangliosides, 227
  - N*-methyl-D-aspartate receptor antagonists, 228–232
  - poly(ADP-ribose) polymerase inhibitors, 227
  - ryanodine receptor antagonists, 227–228
- Neuroprotection as a treatment for nerve agent survivors
  - free radical scavengers, 232
  - mitochondrial permeability transition inhibitors, 232
  - neuropathology and the mechanism of nerve-agent-induced damage, 223–225
  - neuroprotectants, 226–232
  - “neuroprotection” definitions, 225–226
  - neuroprotective hypothermia, 232
  - relevance of neuroprotection to nerve agent survivors, 225–226
- Neuroprotective hypothermia
  - nerve agent exposure treatment, 232
- Neuropsychiatric symptoms
  - mustard agent exposure and, 315
  - nerve agent exposure and, 320–321
  - organophosphate insecticide exposure and, 319–320
- Neurotoxic shellfish poisoning
  - brevetoxin and, 631
  - treatment, 631
- Neuve-Chapelle, Battle of
  - dianisidine chlorosulphonate use, 14
- Newmark, J.
  - treatment guidelines for children, 195
- Ni-shells. *See* Dianisidine chlorosulphonate
- Nicolaou, K.
  - brevetoxin research, 628
- Nicotera, P.
  - mustard agent research, 265
- Niebauer, M.
  - dantrolene research, 228
- Niemann,
  - sulfur mustard synthesis, 260
- NIMS. *See* National Incident Management System
- 1920s
  - airplane use for chemical attacks, 26, 118–119
  - Berber war with France and Spain, 42–43
  - Chemical Warfare Service and, 43–44
  - improvements in chemical weapon delivery systems, 118
  - new US policy on chemical warfare, 44–45
- 1930s
  - Italian-Ethiopian War, 45–46
  - Japanese invasion of China, 46
  - new chemical agent development, 119
  - new chemical weapon development, 119–120
  - organophosphorus compound development, 46–47
- 1940s
  - chemical weapon delivery system improvements, 120
- 1950s
  - Chemical Corps changes, 54–55
  - chemical weapon delivery system improvements, 120
  - incapacitant program, 55–56
  - Korean War, 54
  - medical research on human volunteers, 55
  - nerve agent production and development, 55
  - Soviet threat, 56
- 1960s
  - Arab-Israeli Six-Day War, 58
  - Army reorganization, 56–57
  - chemical warfare program changes, 59–60
  - chemical weapon delivery system improvements, 120–122
  - Dugway Proving Ground incident, 59
  - incapacitating chemical agent development, 59
  - Operation CHASE, 59, 60
  - psychedelic agent experiments, 3
  - public hostility toward chemical weapons, 59
  - sarin accident in Okinawa, 59
  - Vietnam War, 57

- Yemen Civil War, 57–58
- 1970s
  - binary weapon development, 122–124
  - plans to abolish the Chemical Corps, 60–61
  - restoring the Chemical Corps, 61
  - restrictions on sea dumping of chemical weapons, 60
  - Soviet Union's use of chemical warfare agents, 61–62
  - Yom Kippur War, 61
- 1980s
  - Afghanistan War, 62
  - chemical training, 63
  - Haig Report, 62
  - Iran-Iraq War, 62–63
  - Soviet-US Memorandum of Understanding, 63
- 1990s
  - chemical attacks, 125
  - chemical weapon development in Libya, 65
  - Persian Gulf War, 63–65
- Nishioka, N.S.
  - mustard agent injury treatment, 285
- Nitrites
  - cyanide poisoning treatment, 383–384, 386, 390, 394–395, 397
- Nitrogen
  - toxic effects of exposure, 326–327
- Nitrogen dioxide
  - pathophysiological effects, 350
- Nitrogen mustard. *See also* Mustard agent
  - biochemical mechanisms of injury, 263–265
  - description, 119
  - gastrointestinal tract effects, 276
  - potential terrorist use and, 667
  - synthesis of, 260
  - three forms of, 262
  - use of in chemotherapy, 260–261
- Nixon, Pres. Richard M.
  - ban on biological warfare agents, 138
  - destruction of chemical weapons and, 61, 122
  - United States ratification of the Geneva Protocol and, 60, 137
- Nonivamide. *See* Pelargonyl vanillylamide
- Nonlethal weapons. *See* Incapacitating agents
- Nonsteroidal antiinflammatory drugs
  - treatment of mustard agent exposure, 282
- Noort, D.
  - phosgene research, 737
  - sarin research, 696
- North Korea
  - chemical weapons capability, 145
- Notes on Gas as a Weapon in Modern War*, 90
- Nozaki, H.
  - patient thorough decontamination research, 540
- NRF. *See* National Response Framework
- NRP. *See* National Response Plan
- NSAIDs. *See* Nonsteroidal antiinflammatory drugs
- NSP. *See* Neurotoxic shellfish poisoning
- Nunn, Sen. Sam
  - chemical warfare comments, 125
- Nunn-Lugar Cooperative Threat Reduction Program
  - Russia's elimination of chemical weapons and, 144
- Nunn-Lugar-Domenici Act
  - domestic preparedness program provision, 128, 754–755

## O

- O-chlorobenzylidene malononitrile
  - acute effects, 447–448
  - acute inhalation toxicity of CS in animals (table), 448
  - animal studies of effects, 448–449
  - carcinogenicity studies, 449

- characteristics of (table), 445
- chemical structure (figure), 446
- chronic toxicology, 449
- clinical effects, 447–452
- deployment of, 444
- exposure guidelines, 447
- human studies, 449–452
- incapacitating effects, 416, 444
- inhalation toxicology studies, 448
- introduction of, 342, 443
- long-term effects, 452
- personal defense spray use, 443
- physical characteristics, 444
- repeat exposures, 448–449
- safety of, 472
- severe medical complications, 452
- subclinical toxicology studies, 449
- symptoms of exposure to, 444
- thermal degradation products, 444, 446–447
- Vietnam War use, 444
- O-ethyl N,N-dimethyl phosphoramidocyanidate. *See* Tabun
- O-ethyl-S-[2(diisopropylamino)ethyl]. *See* VX nerve agent
- OC. *See* Oleoresin capsicum
- Occupational health and the chemical surety mission
  - administrative documentation to support a chemical surety inspection (exhibit), 606–607
  - advising agencies for the treatment of chemical agent injury (exhibit), 595
  - categorization of workers based on their likelihood of exposure to chemical agents (exhibit), 601
  - chemical agent definition, 594
  - chemical agent workplace, 596–597
  - Chemical Surety* (AR 50-6), 594
  - chemical surety definition, 594
  - demilitarization of chemical warfare agents, 609–611
  - information sources for chemical surety, 594
  - inspection of chemical storage containers, 596
  - installation medical authority responsibilities, 594, 599–604, 608
  - medical aspects of a chemical accident or incident response and assistance, 607–609
  - Medical Management of Chemical and Biological Casualties Course, 594–595, 608
  - medical response team and, 607–609
  - medical support of the chemical personnel reliability program, 599, 605–607
  - medical surveillance for chemical agent workers, 597–604
  - personal protective equipment needs, 596–597, 599
  - refresher training programs, 605
  - safe treatment and disposal of chemical agents and weapons, 596–597
  - Toxic Chemical Training Course for Medical Personnel, 594–595, 608
  - training and education for chemical agent workers, 604–605
  - understanding patients' occupational healthcare needs and, 595
- Occupational Health Guidelines for the Evaluation and Control of Occupational Exposure to Mustard Agents H, HD, and HT*
  - chemical surety resource, 594
  - potential exposure evaluations, 602
  - RBC-ChE monitoring, 601
- Occupational Health Guidelines for the Evaluation and Control of Occupational Exposure to Nerve Agents GA, GB, GD, and VX*
  - categories of personnel required to have RBC-ChE measured, 601
  - chemical surety resource, 594
  - potential exposure evaluations, 602

- Occupational Safety and Health Administration
  - disaster and medical response to mass casualty events, 492
  - fixed decontamination shelter recommendations, 545–546
  - hazardous waste operations and emergency response training, 515
  - levels of personal protective equipment (exhibit), 542, 580
  - monitoring of decontamination personnel guidelines, 542
  - OSHA Best Practices for Hospital-Based First Receivers of Victims from Mass Casualty Incidents Involving the Release of Hazardous Substances*, 493
  - permissible chlorine exposure level, 359
  - personal protective equipment guidelines, 515
  - powered-air purifying respirators and, 544
  - work-rest cycle recommendations, 495–496
- Ochsner, Gen. Hermann
  - nonlethal gas attacks on Soviet troops, 52
  - views on chemical warfare, 49
- Office of the Surgeon General
  - CBRNE programs and, 768
- Oise-Aisne offensive
  - chemical attacks, 32
  - US participation (figure), 33
- Okinawa
  - accidental release of sarin, 59, 60
- Oklahoma City
  - bombing of the Murrah Federal Building, 754
- Okumura, T.
  - Aum Shinrikyo sarin attack on the Tokyo subway, 493
  - patient thorough decontamination research, 540
- Olajos, E.J.
  - oleoresin capsicum research, 455
  - tear gas research, 342
- Oleoresin capsicum
  - acute effects, 454
  - characteristics of (table), 445
  - chemical structure (figure), 453
  - clinical effects, 454–455
  - deployment methods, 453
  - description, 452–453
  - FBI research on, 443
  - historic use of, 453
  - long-term effects, 455
  - medical complications, 455
  - medicinal use of, 453
  - personal protection use, 443
  - physical characteristics, 453
  - physiological effects, 453, 454
  - safety of, 472
  - US Postal Service use, 442
  - 1-chloroacetophenone
  - animal studies, 460–461
  - carcinogenicity, 461
  - characteristics of PS, CN, DM, and CR (table), 458–459
  - chemical structure (figure), 460
  - deployment methods, 460
  - description, 457
  - harrasing dose, 461
  - human studies, 461–464
  - incapacitating effects, 416
  - invention of, 442
  - long-term effects, 463–464
  - personal defense spray use, 443
  - physical characteristics, 457, 460
  - physiological effects, 460
  - severe medical complications, 464
  - sublethal effects, 461
  - toxicology, 460–461
  - volunteer acute exposure studies, 461
- “120 Cities Program”
  - description and focus of, 755
- 1-methylsulfanyl-2-[2-(methylthio)ethylsulfonyl]ethane
  - urine sample analysis for mustard agent and, 711, 716–717
- 1,1'-sulfonylbis[2-(methylsulfanyl)ethane]
  - urine sample analysis for mustard agent and, 711, 717, 718
- OPCW. *See* Organization for the Prohibition of Chemical Weapons
- Operation CHASE
  - chemical weapon dumping and, 59, 60
- Operation Desert Shield, 64
- Operation Desert Storm. *See also* Persian Gulf War
  - accidental battlefield exposure to chemical agents, 129–130
  - description, 64–65
  - pyridostigmine bromide therapy and, 202–204
- Operation Enduring Freedom
  - September 11, 2001, attacks and, 65
- Operation Iraqi Freedom
  - improvised explosive devices and, 130
  - Iraq's failure to report its chemical warfare research and weapons production and, 65–66
- Operation Solid Shield, 87
  - field training for chemical attacks, 106
- OPIDN. *See* Organophosphorus ester-induced delayed neurotoxicity
- Opioids. *See also specific agents*
  - cyanide poisoning treatment, 523
  - description and incapacitating effects of, 418–419, 421
  - nerve agent exposure treatment, 523
  - overdose treatment, 418
  - pediatric population and, 667
  - popularity as illicit drugs, 419
  - side effects, 667
- OPs. *See* Organophosphorus compounds
- Oral effects
  - 2-chlorobenzylidene malononitrile, 448
- Organization for the Prohibition of Chemical Weapons
  - Chemical Weapons Convention and, 138, 140–141
- Organophosphate insecticides. *See also specific agents*
  - compared with nerve agents, 316–317
  - electroencephalographic effects, 321
  - intermediate syndrome and, 318
  - muscle necrosis and, 317–318
  - neuropsychiatric symptoms and, 319–320
  - polyneuropathy, 317
- Organophosphorus compounds. *See also* Insecticides; Nerve agents; *specific agents*
  - anticholinesterase use, 251–252
  - atropine treatment, 184
  - brain injury and, 223
  - cardiac arrhythmias and, 190
  - categorization of (exhibit), 47
  - compounds included, 158
  - earliest reported incident of toxicity from, 47
  - German development of, 46–47
  - incapacitating effects, 416
  - mechanism of action, 161, 244, 701
  - original use for, 244
  - pediatric effects, 658, 661
  - physostigmine development, 46
  - Test-Mate OP Kit field-forward assay, 693
  - tetraethyl pyrophosphate development, 46–47
  - toxicity of, 661–662, 701
- Organophosphorus ester-induced delayed neurotoxicity
  - description, 317
- Orrenius, S.
  - mustard agent research, 265

OSHA Best Practices for Hospital-Based First Receivers of Victims from Mass Casualty Incidents Involving the Release of Hazardous Substances, 493

Osmond, Humphry

“psychedelic” definition and, 416

OTZ. *See* 2-oxothiazolidine-4-carboxylic acid

Owens, E.J.

dibenz[*b,f*]-1,4-oxazepine research, 468

Oxides of nitrogen

air pollution and, 344–345

diagnosis of exposure to, 358

forms of, 344

sources of, 358

toxic effects of, 326–327, 358

Oximes. *See also* Mark I kits; *specific agents*

administration considerations, 188–189, 702

antidote treatment nerve agent autoinjector and, 188, 189

combined with atropine, 183, 188, 223

cyclosarin exposure and, 202

description, 186

differences among agents, 187

dosage considerations, 187–188

mechanism of action, 186–187

nerve agent exposure treatment, 186–189, 197–198, 663, 702

pediatric population and, 663

## P

P-aminopropiophenone

cyanide poisoning treatment, 394, 396

Palestine

Israel’s possible use of DM against, 443

Palmer, Col. John M.

military training program comments, 56

Palytoxin

accidental exposure, 620

adverse effects of human palytoxin intoxication (exhibit), 621

bioterrorism threat from, 622

chemical structure (figure), 618

clinical signs and symptoms of intoxication, 619

health effects, 619

laboratory findings, 619–620

lethality of, 622

mechanism of action, 617–618

median lethal dose, 618–619

physical examination results, 619

primary source, 617

protection against, 622

public health surveillance programs, 622

routes of exposure, 619, 620, 622

sodium channel effects, 617–618

stability of, 622

synthesis, 617

toxicity, 618–619, 620

treatment, 620–622

Papaverine

palytoxin intoxication treatment, 622

Papirmeister, B.

mustard agent research, 278

PAPP. *See* P-aminopropiophenone

Paralytic shellfish poisoning

clinical signs and symptoms, 625–626

food sources, 624–625

physical examination and, 626

red tide blooms and, 622

saxitoxin and, 622, 624–625, 625–626

tetrodotoxin and, 624–625

Parathion

blood cholinesterase inhibition and, 165

eye effects of exposure to, 170

insecticide use, 158

muscle necrosis and, 318

Paris Convention. *See* Chemical Weapons Convention

PARP inhibitors. *See* Poly(ADP-ribose) polymerase inhibitors

Patel, Marilyn Hall

gas chamber executions with cyanide and, 374

Patient protective wraps

description and uses, 587

Patient thorough decontamination

benefits of, 540

civilian sector and, 540–541

decontamination shelters, 544–546, 552

decontamination worker protection, 541–543

description, 500, 528

detection devices, 544

handling patients, 547

hospital areas for, 529

individual protective equipment, 543–544

medical monitoring, 541

musculoskeletal injury to decontamination workers, 541

need for, 539–540

night operations and, 547–548

personnel needs, 540–541

transport equipment, 544

water concerns, 546–547

work-rest cycles for workers, 542, 543

worker safety and, 541–543

wound contamination and, 538

PATS. *See* M41 protection assessment test system

Pattle, R.E.

dibenz[*b,f*]-1,4-oxazepine research, 467

Paulet, G.

cyanide poisoning research, 394, 396

PAVA. *See* Pelargonyl vanillylamide

PB. *See* Pyridostigmine bromide

PbTx. *See* Brevetoxin

PCP

description and incapacitating effects, 419

treatment for intoxication by, 420

Pediatrics. *See* Infants and children; Medical management of chemical toxicity in pediatrics

Pelargonyl vanillylamide

chemical structure (figure), 453

police department use, 443

synthesis of, 453

Pentazocine

description and incapacitating effects, 418–419

Pereira, M.A.

phosgene research, 737

Perfluoroisobutylene

nonmilitary uses, 357

physiological effects, 354

supportive care for exposure to, 358

toxic effects of, 324, 326, 345

toxic fumes from, 357–358

treatment for inhalation of, 354

Periodic medical examinations for chemical workers

comparing data from preplacement examinations, 600

frequency and extent of, 600–601

interval medical history and physical, 601

Pershing, Gen. John J.

AEF leadership, 22, 24, 25, 27, 33, 36, 89

comments on the importance of chemical warfare, 41

Pershing missiles

nerve agent delivery, 122

- Persian Gulf War. *See also* Operation Desert Storm  
 chemical weapons and, 63–65, 106–107  
 “Gulf War” syndrome, 64  
 nerve agent antidote kits and pretreatments, 64, 704  
 PFC David Allen Fisher’s exposure to mustard agent, 106–107  
 pyridostigmine bromide therapy and, 202–204  
 use of 3-quinuclidinyl benzilate by Iraq, 413
- Pert, Candace  
 morphine research, 418
- Pesticides. *See* Organophosphate insecticides
- Petras, J.M.  
 nerve-agent-induced brain damage research, 223
- PFIB. *See* Perfluoroisobutylene
- Pharmacology of cholinesterase inhibitors  
 blood cholinesterases, 161–166  
 cholinesterase in tissue, 158  
 cholinesterase-inhibiting compounds, 158–159  
 inhibition of blood cholinesterases, 164–166  
 mechanism of action, 159–161  
 nerve agents, 166–168
- Phenethylamine-based psychedelics  
 description and effects of, 418
- Phenothiazines  
 LSD intoxication treatment, 417
- Philippe, Henri  
 Champagne-Marne Defensive and, 30
- Phosgene  
 accidental release of, 134  
 animal studies, 735  
 chemical reactivity, 354  
 combined with chlorine or diphosgene, 341  
 compared with phosgene oxime, 294  
 cysteine adducts, 736  
 development of, 15, 734  
 earliest reported description involving chemical warfare on the AEF (exhibit), 22  
 Edgewood Arsenal, MD, production, 119  
 France’s weaponizing of, 341  
 Germany’s experimental testing on human subjects in concentration camps, 105  
 glutathione and glutathione adducts and, 735–736  
 inflammatory pathways, 350–351  
 inhalation of, 734–735  
 interleukin-6 levels and, 737–738  
 latent period for symptoms, 324–325  
 lethal dose, 735  
 long-term health effects of exposure, 324–326, 354  
 macromolecule adducts, 737  
 mechanism of action, 136, 734  
 metabolism and markers for exposure, 735–737  
 nerve agents compared with, 181  
 nonmilitary uses, 345  
 odor of, 734, 735  
 pathophysiological effects, 348, 349, 734  
 pediatric effects of exposure to, 673  
 physiological responses, 348, 354, 734  
 properties and attributes of (exhibit), 19  
 regulatory threshold limit value, 734  
 replacement of chlorine with, 18  
 small molecule adducts, 736–737  
 synthesis of, 116  
 toxicity of, 734  
 treatment for inhalation of, 354–355, 363  
 triage issues, 521, 522  
 US production of, 117  
 vapor pressure, 734  
 “white star” mixture with chlorine, 19–20  
 World War I use, 2, 19–20, 25–26, 83, 341  
 Yemen Civil War and, 57
- Phosgene oxime  
 biochemical mechanisms of injury, 294  
 clinical effects, 295  
 compared with mustard agent and lewisite, 261  
 compared with phosgene, 294  
 eye effects of exposure, 295  
 military use, 294  
 patient management, 295  
 properties, 294  
 pulmonary effects of exposure, 295  
 putative mechanisms by which phosgene oxime causes tissue damage (figure), 294  
 skin effects of exposure, 295
- pHuBChE. *See* Plasma-derived human butyrylcholinesterase
- Physostigmine  
 adverse effects, 426, 704  
 chemical structure (figure), 198  
 compared with huperzine A, 704  
 deliriant intoxication treatment, 425–426, 523  
 description, 158  
 development and isolation of, 46  
 mechanism of action, 425, 426  
 PCP intoxication treatment, 420  
 3-quinuclidinyl benzilate intoxication treatment, 426
- Pinacoloxymethyl-fluorophosphonate. *See* Soman
- Plasma-derived human butyrylcholinesterase  
 administration of, 247  
 advantages for human use, 246–247, 252, 253  
 availability of, 249, 653  
 behavioral safety of, 248–249  
 Cohn Fraction IV-4 paste source, 247, 249, 251  
 compared with fetal bovine serum AChE, 245  
 efficacy of, 247–248, 252  
 immunological safety of, 248, 252  
 pharmacokinetics, 247, 252–253, 702  
 prophylactic dose, 247  
 protection by human butyrylcholinesterase against nerve agent poisoning (table), 252  
 purification from human plasma, 247  
 pyridostigmine bromide and, 251  
 recombinant type, 249–250  
 safety of, 247, 252–253  
 sarin and, 698–699  
 stability of, 247, 252
- Plasma-derived stoichiometric bioscavengers  
 cholinesterases, 245–247  
 compared with catalytic bioscavengers, 250  
 plasma-derived human butyrylcholinesterase, 245–247
- Playfair, Lyon  
 cacodyl cyanide artillery shell proposal, 11
- Point detectors  
 chemical agent detector kits, 576–577  
 improved chemical agent detectors, 576  
 M22 automatic chemical agent detector and alarm, 577  
 M8 chemical agent detection paper, 575  
 M9 chemical agent detection paper, 575–576  
 M272 chemical agent water testing kits, 577
- Polhuijs, M.  
 sarin research, 696, 698–699
- Poly(ADP-ribose) polymerase inhibitors  
 soman-induced seizure-related brain damage treatment, 227
- Polymer fume fever  
 perfluoroisobutylene and, 358  
 polytetrafluoroethylene and, 345
- Polyneuropathy

- nerve agents and, 317
- organophosphate insecticides and, 317
- Polytetrafluoroethylene
  - formation of toxic gases, 345
  - pathophysiological effects, 349–350
  - polymer fume fever and, 345
- Porcine heterograft
  - mustard agent injury dressing, 280
- Porter, E.
  - 2-chlorobenzylidene malononitrile research, 446
- Porter, Maj. Gen. William N.
  - chemical weapon warnings, 48
- Posttraumatic stress disorder
  - comorbidity with other mental illness, 321
  - nerve agent exposure and, 175, 319, 321
  - pediatric population and, 660, 680
- Powered dermabrasion
  - mustard agent injuries and, 284
- Powers, Francis Gary
  - saxitoxin capsules and, 628
- Pregnant women
  - cyanide poisoning treatment, 385
  - pyridostigmine bromide pretreatment safety, 201
  - sarin exposure and treatment, 196
- Preplacement examinations for chemical workers
  - baseline data, 600
  - factors restricting the wearing of protective clothing and, 600
  - functions of, 600
  - heat stress monitoring and, 603–604
  - job description and, 599
  - medical history questionnaire, 600
- Pretreatment therapy for nerve agent poisoning
  - huperzine A, 704–706
  - pyridostigmine bromide, 158, 197–204, 244, 252, 651, 704
- Professional officer filler information system
  - area medical laboratories' endemic diseases section and, 764
  - MEDCOM personnel and, 764
- PROFIS. *See* Professional officer filler information system
- Program for Pediatric Preparedness
  - goals of, 683
  - Web site, 683
- Project 80
  - description, 56
- Project 112
  - description, 56
- Project BioShield
  - interagency partnership on, 251
- Projectors
  - attacks on the AEF (exhibit), 26
  - binary weapons and, 123
  - CWS standardization of, 120, 121–122
  - description, 26
  - Livens projectors, 118, 119
  - rockets, 120, 121–122
  - VX nerve agent delivery, 121–122
- Protective clothing
  - boots, 573
  - fabrics for, 569
  - factors in the decision to wear, 569
  - gloves, 573–574
  - heat and, 569
  - joint service lightweight integrated suit technology, 572–573
  - MOPP levels and, 569
  - protective ensembles, 572–573
- Protective equipment. *See* Gas masks; Respirators; Individual protective equipment
- PS. *See* Chloropicrin
- PSP. *See* Paralytic shellfish poisoning
- Psychedelic agents. *See* Indole-based psychedelics
- Psychochemicals. *See* Incapacitating agents
- Psychological effects
  - chemical weapons, 2, 19–20
  - cyanide poisoning, 393–394
  - pediatric population and, 660
- PTSD. *See* Posttraumatic stress disorder
- PTX. *See* Palytoxin
- Pulmonary system. *See also* Inhalational exposure to nerve agent vapor; Inhalational injury from toxic industrial chemicals; *specific agents and disorders*
  - batrachotoxin effects, 633
  - brevetoxin effects, 630
  - chlorine effects, 673
  - chloropicrin effects, 456–457
  - chronic pulmonary disease, 314
  - dibenz[*b,f*]-1,4-oxazepine effects, 467–468
  - diphenylaminearsine effects, 466
  - incapacitating agent effects, 442, 471–472
  - intubation, 288
  - lewisite exposure effects, 293, 294
  - mustard agent exposure and, 275, 287, 288–290, 290–291, 312, 313–314, 670, 672
  - nerve agent exposure effects, 173–174
  - oleoresin capsicum effects, 454
  - 1-chloroacetophenone effects, 461–462
  - onset of symptoms, 275
  - paralytic shellfish poisoning effects, 626
  - pediatric exposure to toxic agents and, 659
  - phosgene exposure effects, 295, 325–326
  - pulmonary cancer relationship to mustard agent exposure, 313–314
  - respiratory failure, 174
  - 2-chlorobenzylidene malononitrile effects, 447–449, 449–450
  - ventilation considerations, 173
- Pulsed CO<sub>2</sub> laser ablation
  - mustard agent injury treatment, 284
- Pumiliotoxin
  - sodium channel effects, 617
- Punte, C.L.
  - 1-chloroacetophenone research, 461
  - 2-chlorobenzylidene malononitrile research, 449, 450, 451
- Pyridostigmine
  - chemical structure (figure), 198
  - myasthenia gravis treatment, 156, 198
  - nerve agent exposure treatment, 174, 244
  - soman exposure and, 179
- Pyridostigmine bromide
  - adverse effects, 201, 202–203
  - compared with atropine and oxime therapy, 199–200
  - dosage considerations, 202, 704
  - effect of therapy on median lethal dose in monkeys exposed to soman (table), 199
  - effect of therapy with and without pyridostigmine pretreatment on protective ratios in animals exposed to nerve agents (table), 200
  - effects of pyridostigmine pretreatment on US soldiers in the Persian Gulf War (table), 203
  - efficacy of for pretreatment, 158, 199–201, 202, 704
  - FDA post-marketing studies, 652
  - informed consent issues, 204, 650–651
  - interaction with other commonly used battlefield medications, 201–202
  - myasthenia gravis treatment, 158
  - “off-label” use of, 650
  - pretreatment for nerve agent poisoning, 197–204, 244, 252, 651,

- 704  
 red blood cell and acetylcholinesterase protection studies using pyridostigmine bromide and huperzine A after ex-vivo exposure to soman (table), 705  
 regulatory status, 204  
 safety of administration, 201–202  
 surgery and, 204  
 unexplained medical symptoms and, 203–204  
 wartime use, 202–204
- ## Q
- Quayle, Vice Pres. Dan  
   chemical weapon comments, 64  
 Queen, F.B.  
   1-chloroacetophenone research, 463
- ## R
- RADS. *See* Reactive airways dysfunction  
 Rapsahl, Julius  
   warning of a German gas attack, 80  
 Raveh, L.  
   fetal bovine serum AChE research, 245  
   plasma-derived human butyrylcholinesterase research, 245–246, 249  
 RBC-ChE. *See* Red blood cell cholinesterase  
 Reactive airways disease syndrome  
   2-chlorobenzylidene malononitrile exposure and, 452  
 Reactive airways dysfunction  
   sulfur dioxide and, 345  
   2-chlorobenzylidene malononitrile and, 342  
 Reactive Skin Decontamination Lotion  
   description, 533, 536–537, 652–653, 653  
   development of, 652–653  
   M291 SDK and, 536, 653  
   safety of, 653  
 Read, R.W.  
   urine sample analysis for mustard agent, 711, 716, 717  
 Reagan, Pres. Ronald  
   binary chemical weapons and, 3, 124–125  
 Recombinant human butyrylcholinesterase  
   clinical trials, 653–654  
   sources of, 249–250  
 Recombinant stoichiometric bioscavengers  
   recombinant human butyrylcholinesterase, 249–250  
 Red blood cell cholinesterase  
   description, 158  
   monitoring, 161, 163  
   periodic medical examinations for chemical workers and, 600  
   preplacement examinations for chemical workers and, 600  
   temperature effect on inhibition, 165  
 Regional Emergency Medical Advisory Committee of New York City  
   pediatric nerve agent antidote dosing schedule, 684  
 Remifentanyl  
   description and use of, 667  
 Rengstorff, R.H.  
   dibenz[*b,f*]-1,4-oxazepine research, 468  
   1-chloroacetophenone research, 463  
   2-chlorobenzylidene malononitrile research, 450–451  
 Renshaw, B.  
   long-term health effects of mustard agent, 315  
 Republican National Convention of 2004  
   CDC Enhanced Surveillance Program data, 622  
 Respirators. *See also* Gas masks  
   clearances for chemical workers, 602  
   effectiveness against mustard agent, 25–26, 83  
   fit issues, 560, 563  
   powered-air purifying type, 544  
   training in use of, 560  
   use of for children, 657  
 Respiratory protection  
   general principles, 561  
   joint service general purpose masks, 567–568  
   joint service mask leakage tester, 563, 564–565  
   M45 chemical-biological masks, 566–567  
   M53 chemical-biological protective masks, 568–569  
   M41 protection assessment test system, 563, 564  
   M42A2 chemical-biological combat vehicle masks, 566  
   M40A1 chemical-biological field masks, 565–566  
   masks, 561–569  
   MCU-2/P chemical-biological masks, 566  
   small box respirators, 561  
 Return to duty  
   mustard agent exposure and, 290–291  
   nerve agent exposure and, 194–195  
 Rhoads, Dr. Cornelius P.  
   Bari disaster and, 105  
 Rhodanese  
   hydrogen cyanide inhalation treatment, 353–354  
 rHu BChE. *See* Recombinant human butyrylcholinesterase  
 Rice, P.  
   mustard agent injury treatment, 285  
 Riche, Alfred  
   synthesis of mustard agent, 117, 260  
 Ricin  
   CDC categorization as a category B threat agent, 616  
 Rinkel, Max  
   lysergic acid diethylamide research, 413  
 Riot control agents. *See* Incapacitating agents  
 Ritter, Franz  
   sarin research, 47  
 Rivastigmine  
   Alzheimer's disease treatment, 158  
 Rockets  
   "Honest John" rocket, 122  
   "Little John" rocket, 122  
   nerve agent delivery, 120, 121–122, 157  
 Roman empire  
   ancient use of toxic smoke, 10–11, 78  
   cyanide use, 372–373  
   incapacitating agent use, 443  
 Roosevelt, Pres. Franklin D.  
   no-first-use policy for chemical weapons, 52, 137  
 Rosenstock, L.  
   organophosphate insecticide exposure research, 320  
 Rotenberg, J.S.  
   cyanide poisoning research, 674  
   treatment guidelines for children, 195  
 Roth, V.S.  
   2-chlorobenzylidene malononitrile research, 452  
 Rowntree, D.W.  
   organophosphate insecticide exposure research, 320  
 Royal Army Medical Corps  
   advanced dressing stations, 87  
   base hospitals, 87  
   casualty clearing stations, 87  
   collecting, evacuating, and distribution zones, 85  
   Dr. Harvey Cushing's account of Royal Army Medical Corps capabilities, Flanders, Belgium, May 5, 1917 (exhibit), 88  
   evacuation modes, 87  
   main dressing stations, 87  
   regimental aid posts, 86–87  
   responsibilities, 85

- Royall, Under Secretary of War Kenneth C.  
chemical warfare comments, 53
- RSDL. *See* Reactive Skin Decontamination Lotion
- Rüdiger, Col.,  
sarin research, 47, 156
- Russia  
Chemical Weapons Convention and, 3, 65, 157  
demilitarization of chemical agents and, 144–145  
stockpile destruction (table), 144  
use of fentanyl in the Chechen hostage situation, 3, 65, 107, 413, 419
- Russian VX. *See also* VX nerve agent  
chemical structure (figure), 694
- Ryanodine receptor antagonists  
soman-induced seizure-related brain damage treatment, 227–228
- ## S
- Sacco triage method  
description, 517
- Saddam Hussein  
bombing of Sardasht using mustard agent, 656  
Iraq's chemical weapon capabilities and, 64  
Iraq's invasion of Kuwait and, 63–64
- Saint Mihiel offensive  
chemical attacks, 32–33  
division field hospitals, 95–96  
medical support for the treatment of chemical casualties, 99  
overview and detailed map of US participation (figure), 34
- Salem, H.  
hydrogen cyanide research, 354  
incapacitating agent research, 442  
oleoresin capsicum research, 455  
tear gas research, 342
- Salt Lake City, UT  
accidental release of ammonia, 145
- Sandberg, C.G.  
cyanide poisoning research, 393
- Sarin  
accidental exposure of two US soldiers to in Baghdad, 157–158, 168, 195, 197  
advantages of as a weapon, 126  
animal testing of, 47  
atropine treatment, 179  
Aum Shinrikyo cult attack with sarin in the Tokyo subway, 4, 125, 127–128, 158, 178, 181–182, 193, 196–197, 223, 244, 316, 317, 321, 492, 518, 540, 657, 695–696, 699, 754  
behavioral effects of exposure, 175, 176  
carboxylesterase and, 246  
case report: exposure of three men to sarin (exhibit), 172  
chemical structure (figure), 694  
clinical effects, 316  
codenames for, 47  
electroencephalographic effects of exposure, 177, 321–322  
German production of, 48, 119, 156  
hydrolysis pathway of sarin, soman, and cyclosarin (figure), 696  
intermediate syndrome and, 318–319  
Iran-Iraq War and, 157, 195–196  
molecular model (figure), 166  
muscle necrosis and, 318  
plasma-derived human butyrylcholinesterase and, 245  
polyneuropathy and, 317  
production during the 1950s, 55  
projectile delivery, 121–122  
properties of, 3  
pulmonary system effects, 173–174  
signs and symptoms reported by Tokyo hospital workers treating victims of sarin subway attacks (table), 541  
Soviet Union production of, 156  
synthesis of, 693  
toxicity and lethality of, 47, 693  
toxicological studies, 322  
2-pyridine aldoxime methyl chloride treatment, 187  
US production of, 120  
volatility of, 134, 168
- Saudi Arabia. *See* Arab-Israeli Six-Day War
- Saunders, Bernard Charles  
diisopropyl fluorophosphate research, 48
- Saxitoxin  
chemical structure (figure), 623  
clinical signs and symptoms of poisoning, 624–626  
laboratory findings, 626–627  
lethal dose, 623–624  
mechanism of action, 623  
monitoring, 627  
protection issues, 628  
sodium channel effects, 617, 623  
sources of, 622  
stability, 627, 628  
synthesis, 622–623  
toxicity, 623–624  
treatment, 627, 628
- SBME. *See* 1,1'-sulfonylbis[2-(methylsulfinyl)ethane]
- Scheele, Carl Wilhelm  
cyanide research, 116, 373  
discovery of chlorine, 116
- Schouosboe, A.  
dantrolene research, 228
- Schrader, Gerhard  
organophosphorus compound research, 47  
sarin research, 156  
tabun research, 47, 156, 693
- Schwarzkopf, Gen. H. Norman  
chemical warfare comments, 64
- Sciuto, A.M.  
phosgene research, 348, 736, 737–738
- Scopolamine  
description and incapacitating effects, 421, 422
- SE. *See* Status epilepticus
- Seizure-related brain damage  
description, 223  
mechanisms contributing to nerve-agent-induced SRBD (figure), 225  
neuropathology of, 224–225  
secondary stroke injury and, 226
- Seizures  
brain damage cause, 223  
central nervous system effect of nerve agent exposure, 178–179, 244  
neuropathology of, 223–224  
seizure-related brain damage, 223  
status epilepticus and, 223  
therapeutic window, 223
- September 11, 2001, terrorist attacks  
domestic preparedness issues, 755–758, 765, 767–768, 769  
Operation Enduring Freedom and, 65  
Strategic National Stockpile and, 765
- Serotonin 5-HT  
incapacitating effects, 421
- SERPACWA. *See* Skin exposure reduction paste against chemical warfare agents
- Settle, J.A.D.  
mustard agent exposure treatment, 279



- Shaw, F.H.  
organophosphate insecticide exposure research, 319, 320
- Shellfish poisoning. *See* Brevetoxin; Saxitoxin; Tetrodotoxin
- Shih, T.M.  
dizocilpine research, 228  
memantine research, 228
- Shryock, Richard  
Vedder's comments on, 108
- Sibert, Maj. Gen. William L.  
Chemical Warfare Service leadership, 22, 90
- Silver nitrate solution  
treatment of mustard agent injuries, 280
- Silver sulfadiazine cream  
treatment of mustard agent injuries, 281, 670, 671
- Silverlon  
mustard agent injury dressing, 280
- Simple triage and rapid treatment system  
description, 517
- Six-Day War. *See* Arab-Israeli Six-Day War
- Skeletal muscle system  
brevetoxin effects, 630  
effects of nerve agent exposure, 174–175, 188, 318  
effects of organophosphate insecticide exposure, 317–318  
muscle necrosis and, 317–318  
paralytic shellfish poisoning effects, 626  
saxitoxin effects, 627  
tetrodotoxin effects, 627
- Skin cancer  
mustard exposure and, 313
- Skin effects of chemical agents. *See also specific agents*  
active barrier creams, 531–532  
active topical skin protectant and, 531–532  
barrier skin creams and, 530–532  
classes of barrier creams, 531  
factors affecting the absorption of agent, 529–530  
patents covering work on active topical skin protectant at the  
US Army Medical Research Institute of Chemical Defense  
(table), 532  
pediatric population and, 659  
skin “compartments,” 529  
skin exposure reduction paste against chemical warfare  
agents, 530–531
- Skin effects of incapacitating agents  
chloropicrin, 457  
dibenz[*b,f*]-1,4-oxazepine, 468  
diphenylaminearsine, 466  
oleoresin capsicum, 454–455  
1-chloroacetophenone, 461, 462–463  
treatment, 471  
2-chlorobenzylidene malononitrile, 448, 450–451
- Skin effects of lewisite exposure  
blistering, 292–293  
erythema, 292
- Skin effects of mustard agent exposure  
bulla description, 267, 671  
compared with toxic epidermal necrosis, 278, 279  
cosmetic and/or functional deficits, 278  
current treatments, 278–281  
cutaneous sensitivity, 315  
cytopathology, 269–270  
erythema, 267, 268, 279, 667  
healing time for skin lesions, 268, 270, 278  
hyperpigmentation, 268–269, 315, 672  
immediate treatment improvements, 281–282  
improved therapies, 281–287  
injury assessment, 282–283  
models and histopathology, 270–271  
onset of symptoms, 267, 312  
penetration of the skin, 529  
return to duty considerations, 291  
scarring of epithelial surfaces, 315  
skin cancer, 313, 315  
skin proteins and immunohistopathology, 272–274  
thermal burns compared with, 278–279, 290  
threshold amount needed to produce skin lesions, 267, 312  
treatments, 278–287, 290  
ultrastructural pathology, 271–272  
vesication, 267, 270–274, 279–281
- Skin effects of toxin intoxication  
brevetoxin, 630  
palytoxin, 620, 621  
tetrodotoxin, 627
- Skin exposure reduction paste against chemical warfare agents  
application of, 531  
barrier properties, 530–531  
components, 530, 532  
development of, 530  
effectiveness, 531  
effects on decontamination, 531  
function, 531  
M291 skin decontamination kits and, 652
- Skin exposure to liquid nerve agents  
atropine treatment, 185–186  
compared with inhalational exposure, 169–170  
effects of dermal exposure to liquid nerve agents (table), 169  
factors in effects of, 169
- Skin substitutes  
advantages of, 286  
mustard agent injury treatment, 286–287  
selection of, 286
- Sleep-Eze  
description and uses, 421
- Small Business Innovative Research Program  
funding for seizure detectors, 223
- Smoking  
cyanide levels and, 323, 324, 374, 731  
endogenous cyanide concentrations for smokers and non-  
smokers (table), 381
- SNS. *See* Strategic National Stockpile
- Snyder, Solomon  
morphine research, 418
- Soap and water (hydrolysis)  
infants and children and, 551, 677  
mechanism of action, 533–534  
patient thorough decontamination and, 534, 544  
skin decontamination method, 533–534  
water concerns, 546
- Sodium channel toxins. *See also* Batrachotoxin; Brevetoxin; Pumilio-  
toxin; Saxitoxin; Tetrodotoxin  
three-dimensional representation of a voltage-gated sodium  
channel sitting in a phospholipid bilayer membrane (figure),  
624
- Sodium nitrite  
cyanide poisoning treatment, 383–384, 394–395, 675–676  
hydrogen cyanide inhalation treatment, 353  
limitations of, 396  
side effects, 394  
use in children, 390
- Sodium thiosulfate  
combined with hydroxocobalamin, 396, 676  
cyanide poisoning treatment, 383, 386, 390, 391, 396, 397,  
675–676  
dosage considerations, 396  
hydrogen cyanide inhalation treatment, 353

- Solomon, I.  
2-chlorobenzylidene malononitrile research, 452
- Soman  
additives for, 135  
aging half-time, 316  
assays for, 699  
atropine treatment, 179  
barrier creams and, 531  
behavioral effects of exposure, 176  
capture of research documents, 51  
carboxylesterase and, 246  
case report: accidental exposure of a man to liquid soman (exhibit), 162–163, 312  
central nervous system effects, 416  
chemical structure (figure), 694  
diazepam treatment, 179  
effect of therapy on median lethal dose in monkeys exposed to soman (table), 199  
effects of soman on acetylcholinesterase activity in whole blood from human volunteers who had taken pyridostigmine bromide (figure), 706  
effects of soman on acetylcholinesterase activity in whole blood from human volunteers who were given an increasing dose of huperzine A (figure), 707  
fetal bovine serum AChE and, 245  
hydrolysis pathway of sarin, soman, and cyclosarin (figure), 696  
incapacitating effects, 416  
median lethal dose, 694–695  
molecular model (figure), 166  
muscle necrosis and, 318  
neuropsychiatric effects, 320  
oxime treatment and, 189  
plasma-derived human butyrylcholinesterase and, 245–249  
pulmonary system effects, 174  
pyridostigmine bromide pretreatment, 179, 199, 201, 704  
red blood cell and acetylcholinesterase protection studies using pyridostigmine bromide and huperzine A after ex-vivo exposure to soman (table), 705  
seizure-related brain damage, 224–225, 226–232, 244  
severe exposure to, 161  
synthesis of, 48, 157, 693  
toxicity and lethality of, 47, 693  
toxicological studies, 322  
volatility of, 168
- Somme, Battle of the  
“white star” mixture of phosgene and chlorine and, 19
- Sommervell, Maj. William V.  
symptomology of gas poisoning, 91
- Sommervillier, Battle of  
phosgene and chloropicrin attacks, 25–26
- Soviet Union. *See also* Russia  
Afghanistan War and, 62  
Biological Weapons Convention and, 61–62  
capture of soman research documents, 51  
chemical weapons threat, 56  
“Foliant” chemical agent program, 3  
Memorandum of Understanding with the United States on prohibiting chemical weapons, 63  
nerve agent weaponization, 3  
no-first-use policy on chemical weapons during World War II, 51–52  
sarin and tabun production, 156  
US-Soviet weapons destruction agreement, 138  
use of chemical warfare agents in the 1970s, 61–62
- Spain  
Berber war, 42–43
- Spanish influenza  
effects of, 101
- Speer, Albert  
views on chemical warfare, 49–50
- Spray delivery  
description, 132  
nerve agents, 120, 157
- SRBD. *See* Seizure-related brain damage
- SS *John Harvey*  
mustard agent disaster at Bari, Italy and, 21, 53, 262
- Stafford Act  
federal department or agency support to state and local governments and, 758–759  
overview of the initial federal involvement under the Stafford Act (figure), 760
- Stahl, C.J.  
1-chloroacetophenone research, 463
- Stalin, Josef  
no-first-use policy on chemical weapons during World War II, 51–52
- Stander, T.  
1-chloroacetophenone research, 463
- Standoff detectors  
early warning for line-of-sight distances, 577  
joint services lightweight standoff chemical agent detectors, 579  
M21 remote sensing chemical agent alarms, 578–579
- Stanton, Secretary of War Edwin M.  
Doughty’s chemical warfare proposal and, 12
- Staphylococcal enterotoxin B  
CDC categorization as a category B threat agent, 616
- Stark, Col. A.N.  
emergency gas teams and, 97
- START triage system  
description, 517
- Status epilepticus  
brain damage cause, 223  
definition of, 223  
nonconvulsive type, 223  
pediatric population and, 664  
therapeutic window, 223
- Steenland, K.  
organophosphate insecticide exposure research, 319
- Stein, A.A.  
1-chloroacetophenone research, 462
- Stenhouse, John  
synthesis of chloropicrin, 117
- Steroids. *See also* Corticosteroids  
palytoxin intoxication treatment, 621
- Stimson, Secretary of State Henry L.  
letter from Gen. MacArthur, 44–45
- Stimulants  
description and effects of, 418
- STM. *See* Sacco triage method
- Stokes mortars  
description, 118, 119
- Stoughton, R.W.  
2-chlorobenzylidene malononitrile research, 444
- Strasbourg Agreement of 1675  
description, 136
- Strategic National Stockpile  
description and role, 765  
pediatric-ready medications and, 678  
“push packages” of pharmaceutical and supplies, 765
- Strategy for Homeland Defense and Civil Support*  
objectives, 758
- Stroke

seizure-related brain damage and, 226  
 Stubbs, Maj. Gen. Marshall  
   Soviet chemical weapons threat comments, 56  
 STX. *See* Saxitoxin  
 Substance abuse and dependency  
   screening of chemical agent workers, 602–603  
   US Army policies, 602–603  
 Succinylcholine  
   butyrylcholinesterase and, 164  
   pediatric population and, 666  
 Sudecon Decontamination Wipes  
   incapacitating agents and, 470  
 Sulfur dioxide  
   common sources of, 345  
 Sulfur mustard. *See* Mustard agent  
 Super Bowl of 2001  
   CDC Enhanced Surveillance Program data, 622  
 Suschitzkey, H.  
   dibenz[*b,f*]-1,4-oxazepine research, 467, 468  
 Swanston, D.W.  
   dibenz[*b,f*]-1,4-oxazepine research, 468  
   1-chloroacetophenone research, 460  
 Switzerland  
   Russia's elimination of chemical weapons and, 145  
 "Symptomology, Pathology and General Treatment of Gas Cases"  
   (Gilchrist), 91  
 Syria  
   Yom Kippur War and, 61  
 Systox  
   blood cholinesterase inhibition and, 165

## T

T-2 mycotoxin  
   CDC categorization as a category B threat agent, 616  
 T-shells. *See* Xylol bromide  
 Tabershaw, I.R.  
   organophosphate insecticide exposure research, 320  
 Tabun  
   advantages of as a chemical weapon, 47  
   assays for, 699  
   behavioral effects of exposure, 175  
   capture of German facility for manufacturing, 50–51, 157  
   chemical structure (figure), 694  
   development of, 693  
   German production of, 48, 119, 156, 693  
   Iran-Iraq War and, 157, 195–196  
   molecular model (figure), 166  
   muscle necrosis and, 318  
   properties of, 3  
   pulmonary system effects, 174  
   pyridostigmine bromide pretreatment, 199, 201  
   Soviet Union production of, 156  
   synthesis of, 156  
   testing of, 47  
   toxicity and lethality of, 47, 693  
   toxicological studies, 322  
   volatility of, 168  
 Taniyama, S.  
   palytoxin research, 620  
 TDG. *See* Thiodiglycol  
 TDG-sulfoxide. *See* Thiodiglycol sulfoxide  
 Tear gas. *See* Incapacitating agents  
 Teflon. *See* Polytetrafluoroethylene  
 TEN. *See* Toxic epidermal necrosis  
 Terbutaline  
   chlorine inhalation treatment, 353  
 Termination examinations for chemical workers

changes in duties and, 601–602  
 timing of, 601  
 Terrorist attacks  
   advantages of chemical agents for, 126–127  
   Al Qaeda, 129  
   "Alphabet Bomber," 127  
   Aum Shinrikyo, 4, 125, 127–128, 129, 158, 178, 181–182, 193,  
     196–197, 223, 244, 316, 317, 321, 492, 518, 540, 657, 695–696,  
     699, 754  
   chemical terrorism incidents, 126–129  
   The Covenant, the Sword, and the Arm of the Lord, 127  
   cyanide plot against the US Embassy, Italy, 128  
   "domestic terrorism" definition, 126  
   fear of future chemical attacks, 560  
   military installation protection, 126  
   September 11, 2001, attacks, 65, 560  
   "terrorism" definitions, 125–126  
   "terrorist" definition, 125  
   William Krar, 128–129  
 Test-Mate kit  
   field-forward assay for organophosphorus exposure, 693, 702,  
   704  
 Tetraethyl pyrophosphate  
   development of, 46–47  
   synthesis of, 46, 156  
 Tetrahydroaminacridine  
   Alzheimer's disease treatment, 426  
   3-quinuclidinyl benzilate intoxication treatment, 426  
 Tetrodotoxin  
   chemical structure (figure), 623  
   clinical signs and symptoms of poisoning, 624–626  
   laboratory findings, 626–627  
   lethal dose, 623–624  
   mechanism of action, 623  
   monitoring, 627  
   physical examination and, 626  
   protection issues, 628  
   signs and symptoms of intoxication, 628  
   sodium channel effects, 617, 623  
   sources of, 622  
   stability, 627, 628  
   surveillance, 628  
   synthesis, 622–623  
   toxicity, 623–624  
   treatment, 627, 628  
 Thiodiglycol  
   analysis methods for urine samples to measure thiodiglycol or  
     thiodiglycol and thiodiglycol-sulfide (table), 710  
   mustard agent exposure and, 707, 708–711, 713–718  
   target analytes for analysis methods outlined in Table 22-7  
     (table), 711  
 Thiodiglycol sulfide  
   analysis methods for urine samples to measure thiodiglycol or  
     thiodiglycol and thiodiglycol-sulfide (table), 710  
   target analytes for analysis methods outlined in Table 22-7  
     (table), 711  
 Thiodiglycol sulfoxide  
   mustard agent exposure and, 708, 710–711, 716–718  
 Thiosulfate. *See* Sodium thiosulfate  
 Thirty Years War  
   use of toxic smoke projectiles, 11  
 Thomas, S.J.  
   mustard agent exposure treatment, 279  
 3,4-methylene-dioxymethylamphetamine  
   description and effects of, 418  
 3-quinuclidinyl benzilate  
   analytical methods for exposure to, 739

- Chemical Corps research, 414, 422–424
- chemical structure (figure), 739
- clinical pharmacology, 422–423
- delirium features, 423–424
- description and incapacitating effects, 422, 427, 738
- development of, 3, 59
- duration of action, 738
- inhalation studies, 422–423, 427
- lethal dose, 738
- mechanism of action, 738–739
- molecular weight, 738
- parameter definitions, 423
- physostigmine treatment for intoxication by, 426, 523
- placidity and, 425
- routes of administration, 422
- safety of, 427
- stockpiles of, 739
- summary of BZ and fentanyl derivatives (table), 429
- tetrahydroaminacridine treatment for intoxication by, 426
- therapeutic ratio, 427
- use of by Iraq during the Persian Gulf War, 413
- weaponization of, 738
- Thucydides
  - History of the Peloponnesian War*, 10, 78
- TICs. *See* Toxic industrial chemicals
- TIM. *See* Toxic industrial material
- Tissue sample analysis
  - mustard agent, 726
- Tobacco use. *See* Smoking
- Tobramycin
  - mustard agent treatment, 672
- Tooele Army Depot, UT
  - demilitarization of chemical agents, 141–142, 143, 157
- Topical antibiotics. *See also* Antibiotics
  - treatment of mustard agent exposure, 280, 672
- Torngren, S.
  - individual protective equipment research, 543–544
- Torsade de pointes
  - nerve agent exposure and, 179
- Total-body cooling
  - neuroprotectant use, 232
- Toxic Chemical Agent Safety Standards
  - protection levels for workers, 596
- Toxic epidermal necrosis
  - compared with skin injuries from mustard agent, 278, 279
- Toxic industrial chemicals. *See also* Toxic industrial material; *specific agents*
  - common sources, 340
  - definitions of airborne toxic material (table), 340
  - description, 340
  - forms of, 340
  - history and use, 341–345
  - inhalational injury from, 340–365
  - mechanism of injury, 340, 355, 356–357
  - mechanisms of toxicity, 345–353
  - military uses, 341
  - nonmilitary uses, 341–345
  - potential for accidental or deliberate exposure, 341
  - respiratory protection equipment, 563
  - triage considerations, 519–520, 522, 523
  - US Army Center for Health Promotion and Prevention Medicine toxic industrial chemicals (table), 343–344
- Toxic industrial material. *See also* Toxic industrial chemicals
  - detection and identification, 580–581
  - individual protection, 580
  - respiratory protection equipment, 563
  - use in improvised explosive devices, 580
- Toxic smokes
  - common sources, 345
  - early military use, 10–11, 78, 341
  - pathophysiological effects, 350
  - uses for, 134
- Toxicological studies
  - nerve agents, 322
- Toxins. *See also specific agents*
  - accidental exposure, 616
  - biotoxin threat, 616
  - categories of, 614
  - chemical warfare agent comparison, 616–617
  - Chemical Weapons Convention definition, 614
  - delivery methods and use of, 614, 616
  - emergent threats, 617
  - established threats, 616–617
  - food and water supplies and, 616
  - list of known toxins and their sources (table), 615–616
  - nature of the threat from, 614
  - storage capability and use of, 614
  - terrorism and use of, 614, 633
- Transformational medical technologies initiative
  - description, 647
- Treatment of Chemical Agent Casualties*, 184
- Treatment of incapacitating agent exposure. *See also* Field management of chemical casualties; *specific agents and drugs*
  - cardiovascular system, 472
  - eyes, 471
  - laboratory findings, 472
  - respiratory tract, 471–472
  - skin, 471
- Treatment of mustard agent exposure. *See also* Field management of chemical casualties; *specific agents and drugs*
  - airway injuries, 287–290
  - antimicrobials, 280–281
  - antioxidants, 282
  - biologic dressings, 280
  - bone marrow issues, 288–290, 672
  - burn centers and, 278
  - categories of casualties, 277
  - changing of dressings, 280
  - debridement, 280, 282, 283–285, 290, 670
  - decontamination, 277, 312, 670
  - deep injury treatment, 281, 283
  - depth of injury assessment, 282–283
  - dressings, 280, 282, 285
  - eye injuries, 287
  - fluid and electrolyte monitoring, 278, 279
  - gastrointestinal tract issues, 288, 290
  - goal of blister management, 670
  - growth factors, 285–286
  - hospitalization issues, 262, 277, 281
  - indocyanine green fluorescence imaging, 283
  - Laser Doppler perfusion imaging, 283
  - long-term effects, 291
  - nonsteroidal antiinflammatory drugs, 282
  - off-gassing and, 282, 671
  - pain control, 278, 279
  - pediatric population and, 670–672
  - return to duty guidelines, 290–291
  - secondary infection risk, 281, 288–289
  - skin injuries, 278–287, 670–672
  - skin substitutes, 286–287
  - supportive care, 278
  - topical antibiotics, 280
  - unroofing and cleansing of blisters, 279–280
  - vacuum-assisted closure therapy, 287

- Treatment of nerve agent exposure. *See also* Field management of chemical casualties; Neuroprotection as a treatment for nerve agent survivors; *specific nerve agents and drugs*  
 anticonvulsive therapy, 189–190  
 antidote treatment nerve agent autoinjector, 182–186, 192, 193, 194  
 atropine therapy, 182–186, 244  
 cardiac arrhythmia treatment, 190  
 challenges of administration, 244, 253  
 decontamination of the patient, 180–181  
 effect of therapy on median lethal dose in monkeys exposed to soman (table), 199  
 general principles, 180–190, 244, 316  
 mild exposure, 192  
 minimal exposure, 191–192  
 moderate exposure, 192  
 moderately severe exposure, 192–193  
 oxime therapy, 186–189, 197–198  
 pediatric population and, 663–665  
 pretreatment considerations, 197–204, 244  
 protection of the rescuer, 180, 193  
 psychogenic casualties and, 196  
 recommended therapy for casualties of nerve agents (table), 191  
 regimen of antidotal therapy, 223, 244  
 severe exposure, 193–194  
 suspected exposure, 191  
 terminating the exposure, 180–181  
 timing of administration, 244, 252  
 treatment by exposure category, 190–194  
 value of aggressive treatment, 197  
 ventilatory support, 181–182, 186
- “Treatment of Status Epilepticus in Adults: Columbia University Protocol,” 231
- Treatment of toxic industrial chemical exposure. *See also* Field management of chemical casualties; *specific agents and drugs*  
 acute medical management, 362–365  
 airway secretion management, 363–364  
 clinical care, 365  
 establishing an airway, 362–363  
 history assessment for casualties exposed to lung-damaging agents (exhibit), 362  
 hypotension treatment and prevention, 364–365  
 hypoxia prevention and treatment, 364  
 patient history, 361  
 patient transport, 365  
 physical assessment for casualties of lung-damaging chemical agents (exhibit), 363  
 physical examination, 361–362  
 pulmonary edema treatment, 364  
 rest from physical exertion, 363  
 termination of exposure, 362  
 triage for casualties of lung-damaging toxic industrial chemicals (exhibit), 364
- Treaty of Versailles  
 description, 136
- Trench mortars  
 attacks on the AEF (exhibit), 26  
 CWS standardization of, 119–120  
 description, 26  
 Stokes mortars, 118, 119
- Triage of chemical casualties  
 alternative areas for, 678  
 benefit of assistance issues, 512–513  
 challenges unique to, 516  
 combined injuries and, 522–523  
 conventional wounds contaminated with chemical agents, 522–523  
 cyanide and, 518–519, 521, 522, 523  
 cyanide poisoning, 386  
 decontamination, 513–514  
 delayed treatment category, 516, 521, 577  
 development of a pharmaceutical cache of medications, 678  
 division triage stations, 94  
 dynamic nature of, 513, 524  
 emergent category, 516  
 essential information for, 512  
 evacuation issues, 516–517  
 expectant treatment category, 516, 522, 577  
 immediate treatment category, 516, 520–521, 577  
 incapacitating agents and, 520, 521, 522, 523  
 levels of care, 513  
 lung-damaging agents and, 519–520, 522, 523  
 medical management issues, 517–520  
 minimal treatment category, 516, 521–522, 577  
 national site setup and control zones for a hazardous materials site (figure), 515  
 natural course of disease and, 512–513  
 nerve agents and, 518, 520–521, 522–523  
 nonemergent category, 516  
 pediatric population and, 677  
 placement of teams, 514–516, 547  
 principles and processes, 512–516, 524  
 Sacco triage method, 517  
 START system, 517  
 treatment, decontamination, and transport linkage, 514–516  
 triage and treatment area (cold zone), 506  
 triage area (warm side), 504–505  
 triage by category and agent, 520–522  
 “triage” definition, 512  
 triage for casualties of lung-damaging toxic industrial chemicals (exhibit), 364  
 US military triage categories, 516–517  
 vesicants and, 519, 521–522, 523
- Triazolam  
 incapacitating effects, 420
- Trichloromethyl chloroformate. *See* Chloropicrin
- Trilon group of nerve agents. *See* Sarin; Soman; Tabun
- Tropical ataxic neuropathy  
 cyanide exposure and, 323
- Truman, Pres. Harry S  
 United States ratification of the Geneva Protocol and, 60, 137
- Tsuchihashi, H.  
 VX nerve agent research, 695
- TTX. *See* Tetrodotoxin
- Turpin, Eugene  
 secret weapon developed by, 80
- 22nd Chemical Battalion  
 mission of, 597
- 21st century  
 Operation Enduring Freedom, 65  
 Operation Iraqi Freedom, 65–66  
 Russia’s use of fentanyl in the Chechen hostage situation, 3, 65, 413
- 20th Support Command  
 domestic preparedness role, 763
- 2-aminothiazoline-4-carboxylic acid  
 cyanide poisoning and, 376
- 2-chlorobenzylidene malonitrile  
 nonmilitary uses, 342  
 overall effects of, 342  
 Yemen Civil War and, 341
- 2-oxothiazolidine-4-carboxylic acid  
 chemical structure (figure), 736

- phosgene and, 736
- 2-PAM Cl. *See* 2-pyridine aldoxime methyl chloride
- 2-pralidoxime chloride. *See* 2-pyridine aldoxime methyl chloride
- 2-pyridine aldoxime methyl chloride
  - administration considerations, 187, 188–189, 652, 682–683
  - combined with atropine, 183, 223, 651
  - dosage considerations, 187, 189, 194
  - intermediate syndrome treatment, 318
  - limitations of, 653
  - nerve agent exposure treatment, 174, 183, 197–198, 244, 316, 651
  - pediatric population and, 663, 664, 682–683
  - side effects, 187, 188
  - soman-induced seizure-related brain damage treatment, 227
  - treatment of children and, 195

## U

- Uniformed Services University of the Health Sciences
  - CBRNE training programs, 768
- United Kingdom. *See* Great Britain
- United Nations
  - Bush's and Blair's warning on Iraq's weapons of mass destruction program, 66
  - Disarmament Committee, 137
  - Iran-Iraq War and, 63
  - report condemning the production and stockpiling of chemical weapons, 60
  - Yemen Civil War and, 58
- United States. *See also specific conflicts, leaders, cities, states, military installations, agencies, and departments*
  - chemical demilitarization program, 141–143, 609–611, 766
  - Chemical Weapons Convention and, 65, 157
  - chlorine production, 672
  - chloropicrin production, 455
  - diphenylaminearsine production, 464
  - gas chamber executions with cyanide, 374
  - Geneva Protocol ratification, 60, 137, 443
  - Memorandum of Understanding with the Soviet Union on prohibiting chemical weapons, 63
  - nerve agent weaponization, 3
  - phosgene production, 345, 672
  - plans for gas warfare during World War II, 52–53
  - post-World War I chemical warfare policy, 44–45
  - Russia's elimination of chemical weapons and, 144
  - sarin production, 157
  - stockpile agent destruction (table), 143
  - US-Soviet weapons destruction agreement, 138
  - VX nerve agent development and production, 157
  - World War I experience of chemical warfare, 21–42, 117
- University of Maryland Medical Center
  - coordination with local resources, 678
  - triage for chemical agent casualties, 677
- University of Pennsylvania
  - neuropeptide research, 420
- Upshall, D.G.
  - dibenz[*b,f*]-1,4-oxazepine research, 467, 469
- Urine sample analysis
  - analysis methods for urine samples to measure thiodiglycol or thiodiglycol and thiodiglycol-sulfide (table), 710
  - analytical methods, 708–713
  - application to human exposure, 713, 715–718
  - collection issues, 692
  - cyanide poisoning, 734
  - guidelines for collection, 739
  - lewisite exposure, 728, 729
  - mustard agent exposure, 708–718
  - noninvasive, 692
  - published reports (1995–2006) of laboratory analysis of human urine samples for glutathione reaction products following a suspected exposure to sulfur mustard (table), 720
  - published reports (1995–2006) of laboratory analysis of human urine samples for hydrolysis metabolites following suspected exposure to sulfur mustard (table), 719
  - sample considerations, 739
  - sample preparation methods for the gas chromatographic/mass spectrometric/mass spectrometric analysis of the sulfur mustard urinary  $\beta$ -lyase metabolites (exhibit), 713
- US Air Force
  - collectively protected expeditionary medical support and, 585
  - field management of chemical casualties, 490–491
- US Army. *See also* Chemical Corps; Chemical Warfare Service; US Department of Defense; *specific divisions and installations*
  - area medical laboratories, 763–764
  - binary weapon research, 122–123
  - Chemical Materials Agency, 142, 143
  - Chemical Stockpile Emergency Preparedness Program, 142–143
  - chemical training improvements during the 1980s, 63
  - Defense Medical Readiness Training Institute, 768
  - demilitarization of chemical agents, 141–143
  - destruction of chemical weapons stockpile and, 610–611
  - Employment of Chemical Agents*, 136
  - field management of chemical casualties, 481, 487, 489
  - 520th Theater Army Medical Laboratory, 693
  - M20 simplified collective protection equipment and, 587
  - Medical Department, 79
  - Medical Management of Chemical Agent Casualties Handbook*, 184
  - reorganization of, 56–57
  - substance abuse and dependency policies, 602–603
  - Toxic and Hazardous Materials Agency, 141
  - Treatment of Chemical Agent Casualties*, 184
  - 20th Support Command, 763
- US Army Center for Environmental Health Research
  - biomonitoring device, 631
- US Army Center for Health Promotion and Prevention Medicine
  - domestic preparedness role, 763, 764
- US Army Chemical Corps. *See* Chemical Corps
- US Army Chemical Materials Agency
  - chemical accidents or incidents and, 607
  - missions of, 596–597
- US Army Chemical School
  - CBRNE courses, 769
- US Army Materiel Command
  - chemical accidents or incidents and, 607
- US Army Medical Command
  - domestic preparedness role, 761, 763, 764
  - resources of, 764
- US Army Medical Department
  - ambulance company dressing stations, 93–94
  - army-level gas hospitals, 97
  - base and gas hospitals, 95
  - bathing of chemical casualties, 92, 93, 95
  - battalion aid stations, 92–93
  - bulletins aimed at keeping personnel current on chemical warfare developments, 91
  - casualty cards, 97
  - classification of chemical casualties, 94–95
  - classification of wounded soldiers, 97
  - company aid posts, 92
  - defensive gas training, 89
  - difficulty of carrying “anti-gas” medical equipment, 96
  - division field hospitals, 95–96
  - division gas medical officers, 92
  - division triage stations, 94

- evacuation hospitals, 94–95
- evacuation in trench *versus* open warfare, 99–101
- evacuation methods, 97–99
- gas-proofing of dugouts, 93
- Headquarters, First Army Corps, memorandum on the evacuation of sick and wounded, 1918 (exhibit), 98
- increase in the number of gas casualties and, 91
- organization of, 89–101
- origination of, 89
- Royal Army Medical Corps as basis for, 89
- Sanitary Corps staffing, 90
- secret field order no. 41, annex no. 7, issued by the Fifth Division, September 9, 1918 (exhibit), 100
- separation of chemical casualties from other wounded soldiers, 97
- special wards for chemical casualties, 94
- specialized hospital gas teams, 92
- techniques to detect malingerers, 92
- training and education in CBRNE and, 767, 768
- uniform procedure for handling chemical casualties, 91
- US Army Medical Institute of Infectious Disease
  - CBRNE training program, 768
  - Contaminated Casualty Decontamination Course, 763
  - Hospital Management of CBRNE Incidents Course, 769
  - Medical Management of Chemical and Biological Casualties Course, 763, 768
- US Army Medical Research and Materiel Command
  - drug acquisition responsibilities, 650
- US Army Medical Research Institute of Chemical Defense
  - “Assay Techniques for Detection of Exposure to Sulfur Mustard, Cholinesterase Inhibitors, Sarin, Soman, GF, and Cyanide,” 693
  - barrier skin creams, 530–532
  - CBRNE training, 768
  - chemical casualty site teams, 607
  - chemical warfare exposure assay development, 693
  - Contaminated Casualty Decontamination Course, 763
  - Field Management of Chemical and Biological Casualties Course, 768–769
  - glove issues in decontamination, 539
  - Hospital Management of CBRNE Incidents Course, 769
  - Medical Management of Chemical and Biological Casualties Course, 594–595, 608, 763, 768
  - role and responsibilities, 5
  - sample collection, shipping, and storage guidelines, 739–741
  - Toxic Chemical Training Course for Medical Personnel, 594–595, 608
  - working conditions, 597
- US Army Northern Command
  - domestic preparedness role, 761, 763, 764
- US Army Ordinance Corps
  - training and education in CBRNE and, 767
- US Army Research and Development laboratory
  - 3-quinuclidinyl benzilate monitoring, 739
- US Army Soldier and Biological Chemical Command
  - glove issues in decontamination, 539
- US Bureau of Mines
  - toxic gas research, 89
- US Civil War
  - chemical warfare proposals, 11–12
- US Coast Guard
  - field management of chemical casualties, 491, 492
- US Code
  - “terrorism” definition, 126
- US Congress. *See also specific legislation*
  - antiterrorism training bill, 125
  - binary chemical weapon development restrictions, 124
  - demilitarization of chemical agents and, 142
  - law controlling storage, testing, and disposal of agents outside the United States, 60
  - review of binary weapons, 124–125
  - subcommittee on noxious gases, 21–22
- US Defense Intelligence Agency
  - “Biotechnology: Impact on Biological Warfare and Biodefense,” 420–421
- US Department of Agriculture
  - domestic preparedness role, 761
  - Laboratory Response Network and, 765–766
- US Department of Defense. *See also* US War Department
  - analysis of possible accidental battlefield exposure to chemical agents during Operation Desert Storm, 129–130
  - Army reorganization, 56–57
  - Assembled Chemical Weapons Alternatives Program, 142
  - chemical agent medical countermeasure requirements, 646
  - Chemical Stockpile Emergency Preparedness Program role, 766–767
  - defense acquisition executive responsibilities, 646
  - domestic preparedness roles, 755, 758–764, 767–770
  - 5000 series documents, 647–648
  - incapacitating agents characteristics, 412
  - investigational new drugs and, 650
  - military installation protection from terrorist attacks, 126
  - National Medical Chemical and Biological Advisory Team, 764
  - Project BioShield and, 251
  - pyridostigmine bromide informed consent issues, 204, 650–651
  - Quadrennial Defense Review Report of 2006*, 758, 770
  - requests for assistance in chemical casualty management, 494
  - support for civilian chemical casualty management, 493
  - support to civil authorities, 761–764
  - “terrorism” definition, 125
  - 22nd Chemical Battalion support operations, 597
  - 2-chlorobenzylidene malononitrile variation creation, 444
- US Department of Energy
  - domestic preparedness role, 755
- US Department of Health and Human Services
  - Chemical Stockpile Emergency Preparedness Program role, 766
  - disaster and medical response to mass casualty events, 492
  - drug acquisition responsibilities, 650
  - first responder policy recommendations, 493
  - homeland security role, 755
  - Laboratory Response Network and, 765–766
  - National Response Framework coordination guidelines for, 761
  - Project BioShield and, 251
  - Strategic National Stockpile and, 765
- US Department of Homeland Security
  - color-coded threat condition chart, 755
  - creation of, 755
  - homeland security councils and, 755
  - Laboratory Response Network and, 765–766
  - lead federal agency for domestic incident management, 755
  - National Incident Management System, 492, 755–756
  - National Response Framework, 758
  - National Response Plan, 755–756
  - Office for Domestic Preparedness, 770
  - organizational outline for incident management command (figure), 757
  - Project BioShield and, 251
  - state and regional coordination and, 759
  - Strategic National Stockpile and, 765
- US Department of State
  - “terrorism” definition, 125
- US Environmental Protection Agency

- Chemical Stockpile Emergency Preparedness Program role, 766
- demilitarization of chemical agents and, 142, 143
- levels of protection, 580
- waste water disposal issues, 546
- US Food and Drug Administration
  - "animal rule" for drug product approval, 647, 651
  - anticholinesterase treatment for Alzheimer's disease, 158
  - clinical trial phases, 647
  - investigational new drug submissions, 649, 650
  - Laboratory Response Network and, 765–766
  - medical chemical defense acquisition programs and, 646, 647, 648–653
  - "off-label" uses for drugs, 650
  - phosgene inhalation treatment guidelines, 354
  - Project BioShield and, 251
  - pyridostigmine bromide approval, 204
  - Reactive Skin Decontamination Lotion approval, 536
- US General Accounting Office
  - CBRNE training programs and, 768
- US Joint Forces Command
  - domestic preparedness role, 764
- US Marine Corps
  - chemical/biological incident response force, 762–763
  - field management of chemical casualties, 489–490
  - Joint Non-lethal Weapons Directorate, 431
  - M20 simplified collective protection equipment and, 587
- US Navy
  - binary weapon research, 123
  - field management of chemical casualties, 489, 491–492
  - hospital ships, 491–492
- US Office of Management and Budget
  - Project BioShield funding, 251
- US Postal Service
  - oleoresin capsicum use, 443
- US War Department. *See also* US Department of Defense
  - chemical warfare plan, 22
  - chemical weapon stockpiles and, 44
  - gas warfare function centralization, 22
  - Memorandum on Gas Poisoning in Warfare with Notes on its Pathology and Treatment*, 90
  - Notes on Gas as a Weapon in Modern War*, 90
- USACHPPM. *See* US Army Center for Health Promotion and Prevention Medicine
- USAMRICD. *See* US Army Medical Research Institute of Chemical Defense
- USAMRIID. *See* US Army Medical Institute of Infectious Disease
- USNS *Comfort*
  - hospital ship capability, 491
- USNS *Mercy*
  - hospital ship capability, 491
- USS *Bon Homme Richard*
  - hospital ship capability, 491
- USS *Kearsage*
  - hospital ship capability, 491

## V

- V-series nerve agents. *See also specific agents*
  - categorization of (exhibit), 47
  - production during the 1950s, 55
  - weaponization of, 3
- VAC. *See* Vacuum-assisted closure therapy
- Vacuum-assisted closure therapy
  - contraindications to, 287
  - mustard agent injuries, 287
- van Galen, Christoph Bernhard
  - use of toxic smoke projectiles, 11

- Van Hooideonk, C.
  - decontamination research, 534, 536
- Vanderbelt, J.M.
  - cyanide poisoning research, 396
- Vedder, Lt. Col. Edward
  - career of (exhibit), 103
  - chemical training for soldiers and, 103
  - comments on Shryock, 108
  - Medical Aspects of Chemical Warfare*, 104
  - 1-chloroacetophenone research, 462
- Vee
  - physostigmine isolation, 46
- Ventilatory support
  - arrhythmias and, 190
  - atropine and, 181, 186, 193
  - hydrogen cyanide inhalation, 354
  - incapacitating agent exposure and, 471–472
  - intermediate syndrome, 318
  - mass casualty incidents, 181, 519–520
  - mechanical devices for, 181
  - mouth-to-mouth ventilation, 181, 675
  - mustard agent injuries, 288–289, 672
  - nerve agent exposure treatment, 181–182, 520
  - triage issues, 519–520
- Vesicants. *See also* Incapacitating agents; Lewisite; Mustard agent; Phosgene oxime
  - chemical, physical, environmental, and biological properties of vesicating agents (table), 260–261
  - conventional wounds contaminated with, 523
  - description, 260, 667
  - management of vesicant exposures (table), 671
  - pediatric population and, 667–673
  - prolonged morbidity from, 667
  - triage considerations, 519, 521–522, 523
  - types of, 260–261
- Veterans Administration
  - phosgene exposure research, 325–326
  - study on the effects of mustard agent and lewisite exposure, 312–313
- Viala, B.
  - 2-chlorobenzylidene malononitrile research, 471
- Vietnam War
  - Agent Orange use, 341
  - defoliant use, 105
  - mustard agent use, 57
  - tear gas use for clearing tunnels, 105
  - 2-chlorobenzylidene malononitrile use, 444
- Vinci, Leonardo da
  - poison projectile proposal, 11
- Vision. *See* Eyes
- Volunteers
  - anticholinergic deliriant testing on, 424–425
  - effects of soman on acetylcholinesterase activity in whole blood from human volunteers who had taken pyridostigmine bromide (figure), 706
  - effects of soman on acetylcholinesterase activity in whole blood from human volunteers who were given an increasing dose of huperzine A (figure), 707
  - medical research on human volunteers during the 1950s, 55
  - 1-chloroacetophenone testing on, 461
- von Deimling, Gen.
  - chemical warfare comments, 15–16
- von der Linde, Hans-Jürgen
  - sarin research, 47, 156
- von Krueger, Gerde
  - organophosphorus compound research, 47
- von Tappen, Hans



- T-shell development, 14
  - VR nerve agent
    - description, 156
    - toxicity of, 168
    - vapor hazard, 168
    - volatility of, 168
  - VS nerve agent
    - weather conditions and, 135
  - VX nerve agent
    - additives for, 135
    - assays for, 699
    - barrier creams and, 531
    - behavioral effects of exposure, 175–176
    - carboxylesterase and, 246
    - chemical structure (figure), 694
    - chloroperoxidase and, 250
    - clinical effects, 316
    - eye effects of exposure to, 170
    - incapacitating effects, 416
    - inhibition of blood ChE activity, 165
    - land mine delivery, 120–121
    - molecular model (figure), 166
    - mortality from, 316
    - neuropsychiatric effects, 320
    - plasma-derived human butyrylcholinesterase and, 245–246, 247, 249
    - projectile delivery, 121
    - pulmonary system effects, 174
    - RBC-ChE inhibition, 165
    - relation of cholinesterase activity to vomiting after exposure to (table), 166
    - routes of exposure, 695
    - skin effects, 529
    - soap and water decontamination, 533, 534
    - synthesis and production of, 157
    - toxicity of, 693, 695
    - vapor hazard, 168
    - volatility of, 135, 168, 316
  - Vycudilik, W.
    - urine sample analysis for mustard agent, 708, 713
- W**
- Wada, S.
    - mustard agent exposure research, 314
  - Waite, Maj. Gen. Alden H.
    - assessment of the future of chemical warfare in 1946, 54
    - chemical training for soldiers and, 103–104
    - post-World War II discovery of German gas reserves, 104–105
    - summary of CWS's planning for the next war, 119
  - Walker, M.C.
    - ketamine research, 231
  - Wallace rule of nines, 282
  - Walter Reed Institute of Research Whole Blood Assay
    - cholinesterase analysis, 702, 705–706
  - Ward, Kyle, Jr.
    - description of nitrogen mustard, 119
  - Water testing kits. *See* M272 chemical agent water testing kits
  - Watson, Maj. Gen. Gerald G.
    - chemical training and, 63
  - Weather. *See* Wind and weather considerations
  - Weger, N.
    - cyanide poisoning research, 394, 395–396
  - Weigand, D.A.
    - 2-chlorobenzylidene malononitrile research, 451
  - Weimar, J.T.
    - 2-chlorobenzylidene malononitrile research, 451
  - Wepfer
    - cyanide poisoning description, 373
  - Wet decontaminants
    - Reactive Skin Decontamination Lotion, 533, 536–537
    - water issues, 546
  - White, C.
    - 1-chloroacetophenone research, 462
  - White, R.G.
    - 1-chloroacetophenone research, 463
  - White House Office of Homeland Security
    - creation of, 755
    - National Strategy for Homeland Security*, 755
  - WILD20
    - soman-induced seizure-related brain damage treatment, 227
  - Willder, W.B.
    - 2-chlorobenzylidene malononitrile research, 452
  - Willems, Jan L.
    - Iranian mustard casualties, 263, 266, 268, 715
  - Wils, E.R.J.
    - skin sample analysis for mustard agent, 726
    - urine sample analysis for mustard agent, 708–709, 716
  - Wilson, I.B.
    - oxime research, 186–187
  - Wilson, President Woodrow
    - World War I and, 12, 21
  - Wind and weather considerations
    - chemical attacks, 80, 117, 121, 135–136
    - cold shock, 548–549
    - decontamination in cold weather, 548–550
    - hypothermia, 548–549
    - stages and symptoms of hypothermia (table), 548
  - Winternitz, M.C.
    - phosgene exposure research, 325
  - Wolfe, A.D.
    - fetal bovine serum AChE research, 245, 246
  - Wolff, H.C.
    - anticholinergic deliriant research, 422
  - Wooten, J.V.
    - lewisite exposure research, 728
  - World Health Organization
    - diphenylaminearsine exposure research, 466
  - World Trade Center
    - bombing in 1993, 754
  - World Trade Organization
    - CDC Enhanced Surveillance Program data, 622
  - World War I. *See also* American Expeditionary Forces; *specific battles, battle sites, and countries*
    - aftermath, 36–37, 41
    - Allied retaliation against chemical warfare, 18
    - an attack on a platoon of the 28th Division (exhibit), 27
    - armistice ending, 36
    - casualties attributed to gas, 36–37, 41–42, 82, 83, 341
    - chemical agent production, 117
    - chemical agents used (in chronological order) (table), 342
    - chemical attacks involving children and civilians, 656
    - chemical casualties (table), 79
    - chemical warfare use by France, Great Britain, and Germany, 12–21, 79–82, 312, 341, 373, 397
    - chemical weapons, 117–118
    - chlorine gas use, 2
    - detailed map of Ypres (figure), 17
    - Dr. Harvey Cushing's account of Royal Army Medical Corps capabilities, Flanders, Belgium, May 5, 1917 (exhibit), 88
    - earliest reported description involving chemical warfare on the AEF (exhibit), 22
    - early Allied chemical warfare plans, 12–13
    - evacuation in trench *versus* open warfare, 99–101
    - excerpt from "Take Me Back to Dear Old Blighty!" (exhibit), 89

field sanitation and, 83–85  
first airplane gas attacks on American forces (exhibit), 26  
first projector attack on the AEF (exhibit), 26  
“gas fright” syndrome, 82  
gas mask development, 18, 19, 80, 561–562  
historical summary of chemical warfare agents used in (table), 38–41  
hospitalized casualties, in percentages by causative weapon (figure), 85  
incapacitating agent use, 443, 455  
initial responses to gas attacks, 82–85  
map of Belgian-French border (figure), 16  
map of western Europe (figure), 13  
medical personnel as victims, 101–102  
mustard agent use, 2–3, 15, 18, 20–21, 25–26, 27, 260, 261–262, 530  
phosgene use, 2, 734  
prewar intelligence and the Second Battle of Ypres, 79–82  
profiles of chemists (exhibit), 15  
Royal Army Medical Corps role, 85–89  
six chlorine-phosgene cloud attacks: British casualties December 1915–August 1916 (table), 83  
Spanish influenza and, 101  
trichloromethyl chloroformate use, 20  
US experience with chemical warfare, 21–42

#### World War II

capture and detainment of German military scientists in Operation Dustbin, 51  
capture of soman research documents, 51  
chemical weapon delivery system improvements, 120  
demilitarization of captured weapons, 54  
German gas reserves, 104–105  
Germany’s experimental testing of chemical and biological warfare agents in concentration camps, 105, 157  
nerve agents and, 3, 48  
no-first-use policy on chemical weapons, 51–52  
sea dumping of captured chemical weapons, 54  
smoke and flames agents and, 104  
Zyklon B use in Nazi concentration camps, 15, 51, 105, 373, 397, 656

*Worldwide NBC Mask Handbook*, 561

#### Wound decontamination

general considerations, 538  
initial decontamination, 538  
off-gassing and, 282, 538–539  
thickened agents and, 538  
wound exploration and debridement, 539

#### Wurtz, Charles A.

discovery of cyanogen chloride, 116  
synthesis of tetraethyl pyrophosphate, 156  
tetraethyl pyrophosphate synthesis, 46

## X

#### Xylyl bromide

development and use of, 14, 17, 79

## Y

“Yellow cross.” *See* Mustard agent

#### Yemen Civil War

chemical weapons use, 57–58, 262, 341  
Compromise of 1970, 58

#### Yen, D.

cyanide poisoning research, 385

#### Yeung, D.T.

human paraoxonase 1 research, 251

#### Yih, J.P.

2-chlorobenzylidene malononitrile research, 451–452, 471

Yom Kippur War. *See* Arab-Israeli Yom Kippur War

Yperite. *See* Mustard agent

#### Ypres, First Battle of

stalemate result of, 14

#### Ypres, Second Battle of

casualties, 82  
chlorine gas attacks, 14–18, 21, 79–82  
detailed map of Ypres (figure), 17  
prewar intelligence and, 79–82

## Z

#### Zante, R.

phosgene research, 735

#### Zeiler, A.G.

phosgene research, 345

#### Zhukov, Soviet Defense Minister

chemical weapons threat, 56

#### Zinc oxide

physiological effects, 358–359  
toxic effects of exposure, 327

#### Zyklon B

development of, 15  
use in Nazi concentration camps, 15, 51, 373, 397, 656